

# Large Format Range



# Alphabetical Index

## Marble

ALASKA WHITE  
AMAZONITE  
ARABESCATO  
ARABESCATO GRIGIO  
ARABESCATO OROBICO  
BARDIGLIO CHIARO  
BIANCO CALACATTA  
BIANCO LASA  
BIANCO STATUARIO  
BIANCO VENATO EXTRA  
BLACK MARQUINIA  
BLUE TEMPEST  
BRECCIA IMPERIALE  
BRECCIA MIRABILE  
BRECCIA PHOENIX  
BRECCIA SARDA  
BRILLIANT GREEN  
BROWN FUSION  
CALACATTA  
CALACATTA BELLISSIMO  
CALACATTA BLACK  
CALACATTA LINCOLN  
CALACATTA MACCHIA VECCHIA  
CALACATTA ORO  
CALACATTA VIOLA  
CAMOUFLAGE  
CAPRAIA  
CEPPO ARAGONA  
COLLEMANDINA  
CREMA AVORIO  
CREMO DELICATO  
CREMO ITALIA  
DAMA BIANCA  
D-GIALLO SIENA (NEW)  
D-TRAVERTINO OBSIDIAN (NEW)  
EMPERADOR  
FIOR DI BOSCO

FIORENZA  
GLAM BRONZE  
MICHELANGELO ALTISSIMO  
NEBULA GRIGIA  
OCEAN STORM  
ONICE ALABASTRINO  
OPAL WHITE  
OYSTER  
PALISSANDRO BLUE  
PALISSANDRO ONICIATO  
PALISSANDRO WHITE  
PANDA WHITE  
PATAGONIA  
PIETRA GREY  
PIETRA PIASENTINA  
PORT LAURENT  
PREMIUM WHITE  
RHYNO  
ROSSO IMPERIALE  
SAHARA NOIR  
SILVER ROOT  
SODALITE BLU  
STAUARIO ULTRA  
STONE GREY  
THASSOS  
TRAVERTINO NAVONA  
TRAVERTINO ROMANO  
TRAVERTINO SANTA CATERINA  
TRAVERTINO SILVER  
TRAVERTINO TITANIO  
TROPICAL BLACK  
UNI ICE  
UNI PEPPER  
VERDE KARZAI  
VERDE ST DENIS  
VOGUE  
WHITE BEAUTY

## Precious

CRYSTAL GREY  
CRYSTAL SKY  
GEM PEARL  
GEM ROSE  
ONICE AVORIO  
ONICE BIANCO EXTRA  
ONICE GHIACCIO  
ONICE GRIGIO  
ONICE MALAGA  
ONICE NERO  
ONICE ORO  
ONICE PERLA  
ONICE PLATINO  
ONICE REALE  
ONICE ROSA  
SELENITE BLACK  
SELENITE GREIGE  
SELENITE WHITE

## Metal

ACCIAIO BRUNITO  
ACCIAIO CORTEN  
ACCIAIO VERDERAME  
LUCE GOLD  
LUCE PEARL  
LUCE SILVER

## Stone

BLACK DIAMOND  
BRECCIA BLU  
CITY STONE BROWN  
CITY STONE DOVE  
CITY STONE GREY  
CITY STONE PEARL  
CREMA LUNA  
CREMA NEVE  
FJORD BLACK  
FJORD GREY  
FJORD WHITE  
GRIGIO SAVELLI  
JATOBA BROWN  
LAVICA BEIGE  
LAVICA BLACK  
LAVICA DARK  
LAVICA GREY  
LAVICA PEARL  
LIMESTONE ASH  
LIMESTONE DEEP  
LIMESTONE MOON  
PALLADIUM GREY  
PIETRA DI VALS  
PLATINUM WHITE  
PORTLAND BEIGE  
PORTLAND GREIGE  
PORTLAND WHITE  
SILVER WAVE  
VICTORIAN STONE LIMESTONE BEIGE  
VICTORIAN STONE MOON CREAM  
VICTORIAN STONE SILVER GREY

## Cement & Resins

ASTER MAXIMUM MERCURY  
ASTER MAXIMUM MOON  
ASTER MAXIMUM VENUS  
BALANCE AZURE  
BALANCE CHESTER GREEN  
BALANCE IVORY  
BALANCE LIGHT GREY  
BALANCE MARSALA RED  
BALANCE NUDE  
BALANCE OCHRE  
BALANCE STEEL BLUE  
CON.CREA CLOUD  
CON.CREA DOVE GREY  
CON.CREA EARTH  
CON.CREA INK  
CON.CREA TALC  
HQ RESIN CINDER  
HQ RESIN DARK  
HQ RESIN WHITE  
MURA LUNARA  
MURA RAMIA  
MURA SANKIRA  
URBAN GREAT ANTHRACITE  
URBAN GREAT DOVE  
URBAN GREAT CREAM  
URBAN GREAT MUD  
URBAN GREAT GREY  
URBAN GREAT IVORY  
URBAN GREAT SAND  
URBAN GREAT WHITE

## Active

CALACATTA ACTIVE  
LAVICA BEIGE ACTIVE  
LAVICA BLACK ACTIVE  
LAVICA DARK ACTIVE  
LAVICA GREY ACTIVE  
LAVICA PEARL ACTIVE  
PIETRA GREY ACTIVE  
UNI ICE ACTIVE  
URBAN DOVE ACTIVE  
URBAN GREY ACTIVE  
URBAN IVORY ACTIVE  
URBAN WHITE ACTIVE

## Bookmatch

BOOKMATCH ARABESCATO  
BOOKMATCH ARABESCATO OROBICO  
BOOKMATCH BIANCO STATUARIO  
BOOKMATCH BLU TEMPEST  
BOOKMATCH CALACATTA MACCHIA VECCHIA  
BOOKMATCH PALISSANDRO ONICIATO  
BOOKMATCH PATAGONIA  
BOOKMATCH PORT LAURENT

# Marble Collection




IRIS  
CERAMICA  
GROUP



## ALASKA WHITE

| Size (mm) | Thickness (mm) | Finish     | Slip Rating* | Variation | Rectified |
|-----------|----------------|------------|--------------|-----------|-----------|
| 3000x1500 | 6              | Top lapped | R10 A+B      | V3        | ✓         |
| 1500x1500 | 6              | Top lapped | R10 A+B      | V3        | ✓         |
| 1500x750  | 6              | Top lapped | R10 A+B      | V3        | ✓         |
| 750x750   | 6              | Top lapped | R10 A+B      | V3        | ✓         |
| 750x375   | 6              | Top lapped | R10 A+B      | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## AMAZONITE

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ARABESCATO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ARABESCATO GRIGIO

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural | R9           | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ARABESCATO OROBICO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## BARDIGLIO CHIARO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## BIANCO CALACATTA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1500x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1500x750  | 6              | Silky    | -            | V3        | ✓         |
| 750x750   | 6              | Silky    | -            | V3        | ✓         |
| 750x375   | 6              | Silky    | -            | V3        | ✓         |
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 2700x1200 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1200x1200 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## BIANCO LASA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |
| 3000x1500 | 6              | Natural  | R9           | V3        | ✓         |
| 1500x1500 | 6              | Natural  | R9           | V3        | ✓         |
| 1500x750  | 6              | Natural  | R9           | V3        | ✓         |
| 750x750   | 6              | Natural  | R9           | V3        | ✓         |
| 750x375   | 6              | Natural  | R9           | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## BIANCO STATUARIO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |

Bookmatch available upon request.



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## BIANCO VENATO EXTRA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## BLACK MARQUINIA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V2        | ✓         |
| 2700x1200 | 6              | Polished | -            | V2        | ✓         |
| 1500x1500 | 6              | Polished | -            | V2        | ✓         |
| 1200x1200 | 6              | Polished | -            | V2        | ✓         |
| 1500x750  | 6              | Polished | -            | V2        | ✓         |
| 750x750   | 6              | Polished | -            | V2        | ✓         |
| 750x375   | 6              | Polished | -            | V2        | ✓         |
| 3000x1500 | 6              | Silky    | -            | V2        | ✓         |
| 1500x1500 | 6              | Silky    | -            | V2        | ✓         |
| 1500x750  | 6              | Silky    | -            | V2        | ✓         |
| 750x750   | 6              | Silky    | -            | V2        | ✓         |
| 750x375   | 6              | Silky    | -            | V2        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## BLUE TEMPEST

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V4        | ✓         |
| 1500x1500 | 6              | Polished | -            | V4        | ✓         |
| 1500x750  | 6              | Polished | -            | V4        | ✓         |
| 750x750   | 6              | Polished | -            | V4        | ✓         |
| 750x375   | 6              | Polished | -            | V4        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## BRECCIA IMPERIALE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural Plus | R10 A+B      | V3        | ✓         |
| 1500x1500 | 6              | Natural Plus | R10 A+B      | V3        | ✓         |
| 1500x750  | 6              | Natural Plus | R10 A+B      | V3        | ✓         |
| 750x750   | 6              | Natural Plus | R10 A+B      | V3        | ✓         |
| 750x375   | 6              | Natural Plus | R10 A+B      | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## BRECCIA MIRABILE

| Size (mm) | Thickness (mm) | Finish   | Slip Rating*    | Variation | Rectified |
|-----------|----------------|----------|-----------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -               | V3        | ✓         |
| 1500x1500 | 6              | Polished | -               | V3        | ✓         |
| 1500x750  | 6              | Polished | -               | V3        | ✓         |
| 750x750   | 6              | Polished | -               | V3        | ✓         |
| 750x375   | 6              | Polished | -               | V3        | ✓         |
| 3000x1500 | 6              | Natural  | R9   PTV Wet 36 | V3        | ✓         |
| 1500x1500 | 6              | Natural  | R9   PTV Wet 36 | V3        | ✓         |
| 1500x750  | 6              | Natural  | R9   PTV Wet 36 | V3        | ✓         |
| 750x750   | 6              | Natural  | R9   PTV Wet 36 | V3        | ✓         |
| 750x375   | 6              | Natural  | R9   PTV Wet 36 | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## BRECCIA PHOENIX

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural | R9           | V4        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## BRECCIA SARDA

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural Plus | R10 A+B      | V3        | ✓         |
| 1500x1500 | 6              | Natural Plus | R10 A+B      | V3        | ✓         |
| 1500x750  | 6              | Natural Plus | R10 A+B      | V3        | ✓         |
| 750x750   | 6              | Natural Plus | R10 A+B      | V3        | ✓         |
| 750x375   | 6              | Natural Plus | R10 A+B      | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## BRILLIANT GREEN

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## BROWN FUSION

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



# Marble

ALPHABETICAL  
INDEX >>

## CALACATTA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |
| 3000x1500 | 6              | Natural  | R9   R9 A    | V3        | ✓         |
| 1500x1500 | 6              | Natural  | R9   R9 A    | V3        | ✓         |
| 1500x750  | 6              | Natural  | R9   R9 A    | V3        | ✓         |
| 750x750   | 6              | Natural  | R9   R9 A    | V3        | ✓         |
| 750x375   | 6              | Natural  | R9   R9 A    | V3        | ✓         |

Bookmatch available upon request.



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## CALACATTA BELLISSIMO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |
| 3000x1500 | 6              | Natural  | R9 A         | V3        | ✓         |
| 1500x1500 | 6              | Natural  | R9 A         | V3        | ✓         |
| 1500x750  | 6              | Natural  | R9 A         | V3        | ✓         |
| 750x750   | 6              | Natural  | R9 A         | V3        | ✓         |
| 750x375   | 6              | Natural  | R9 A         | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## CALACATTA BLACK

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1500 | 6              | Jewel  | -            | V2        | ✓         |
| 1500x1500 | 6              | Jewel  | -            | V2        | ✓         |
| 1500x750  | 6              | Jewel  | -            | V2        | ✓         |
| 750x750   | 6              | Jewel  | -            | V2        | ✓         |
| 750x375   | 6              | Jewel  | -            | V2        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## CALACATTA LINCOLN

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## CALACATTA MACCHIA VECCHIA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 2700x1200 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1200x1200 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |
| 3000x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1500x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1500x750  | 6              | Silky    | -            | V3        | ✓         |
| 750x750   | 6              | Silky    | -            | V3        | ✓         |
| 750x375   | 6              | Silky    | -            | V3        | ✓         |
| 2700x1200 | 6              | Natural  | R9           | V3        | ✓         |
| 1200x1200 | 6              | Natural  | R9           | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## CALACATTA ORO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## CAMOUFLAGE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1500 | 6              | Feel   | -            | V3        | ✓         |
| 1500x1500 | 6              | Feel   | -            | V3        | ✓         |
| 1500x750  | 6              | Feel   | -            | V3        | ✓         |
| 750x750   | 6              | Feel   | -            | V3        | ✓         |
| 750x375   | 6              | Feel   | -            | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## CAPRAIA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1500x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1500x750  | 6              | Silky    | -            | V3        | ✓         |
| 750x750   | 6              | Silky    | -            | V3        | ✓         |
| 750x375   | 6              | Silky    | -            | V3        | ✓         |
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## CEPPO ARAGONA

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural | R9           | V4        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## COLLEMANDINA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Cashmere | -            | V3        | ✓         |
| 1500x1500 | 6              | Cashmere | -            | V3        | ✓         |
| 1500x750  | 6              | Cashmere | -            | V3        | ✓         |
| 750x750   | 6              | Cashmere | -            | V3        | ✓         |
| 750x375   | 6              | Cashmere | -            | V3        | ✓         |
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## CREMA AVORIO

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x750  | 6              | Natural | R9 A         | V3        | ✓         |
| 750x750   | 6              | Natural | R9 A         | V3        | ✓         |
| 750x375   | 6              | Natural | R9 A         | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## CREMO DELICATO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | R9           | V3        | ✓         |
| 1500x1500 | 6              | Polished | R9           | V3        | ✓         |
| 1500x750  | 6              | Polished | R9           | V3        | ✓         |
| 750x750   | 6              | Polished | R9           | V3        | ✓         |
| 750x375   | 6              | Polished | R9           | V3        | ✓         |
| 3000x1500 | 6              | Natural  | R9           | V3        | ✓         |
| 1500x1500 | 6              | Natural  | R9           | V3        | ✓         |
| 1500x750  | 6              | Natural  | R9           | V3        | ✓         |
| 750x750   | 6              | Natural  | R9           | V3        | ✓         |
| 750x375   | 6              | Natural  | R9           | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## CREMO ITALIA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |
| 3000x1500 | 6              | Natural  | R9 A         | V3        | ✓         |
| 1500x1500 | 6              | Natural  | R9 A         | V3        | ✓         |
| 1500x750  | 6              | Natural  | R9 A         | V3        | ✓         |
| 750x750   | 6              | Natural  | R9 A         | V3        | ✓         |
| 750x375   | 6              | Natural  | R9 A         | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## DAMA BIANCA

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural Plus | R10 A+B      | V3        | ✓         |
| 1500x1500 | 6              | Natural Plus | R10 A+B      | V3        | ✓         |
| 1500x750  | 6              | Natural Plus | R10 A+B      | V3        | ✓         |
| 750x750   | 6              | Natural Plus | R10 A+B      | V3        | ✓         |
| 750x375   | 6              | Natural Plus | R10 A+B      | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## D-GIALLO SIENA NEW

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## D-TRAVERTINO OBSIDIAN NEW

| Size (mm) | Thickness (mm) | Finish      | Slip Rating* | Variation | Rectified |
|-----------|----------------|-------------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural lux | R9           | V3        | ✓         |
| 1500x1500 | 6              | Natural lux | R9           | V3        | ✓         |
| 1500x750  | 6              | Natural lux | R9           | V3        | ✓         |
| 750x750   | 6              | Natural lux | R9           | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## EMPERADOR

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## FIOR DI BOSCO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Silky    | -            | V2        | ✓         |
| 1500x1500 | 6              | Silky    | -            | V2        | ✓         |
| 1500x750  | 6              | Silky    | -            | V2        | ✓         |
| 750x750   | 6              | Silky    | -            | V2        | ✓         |
| 750x375   | 6              | Silky    | -            | V2        | ✓         |
| 3000x1500 | 6              | Polished | -            | V2        | ✓         |
| 2700x1200 | 6              | Polished | -            | V2        | ✓         |
| 1500x1500 | 6              | Polished | -            | V2        | ✓         |
| 1200x1200 | 6              | Polished | -            | V2        | ✓         |
| 1500x750  | 6              | Polished | -            | V2        | ✓         |
| 750x750   | 6              | Polished | -            | V2        | ✓         |
| 750x375   | 6              | Polished | -            | V2        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## FIorenza

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural  | R9 A         | V3        | ✓         |
| 1500x1500 | 6              | Natural  | R9 A         | V3        | ✓         |
| 1500x750  | 6              | Natural  | R9 A         | V3        | ✓         |
| 750x750   | 6              | Natural  | R9 A         | V3        | ✓         |
| 750x375   | 6              | Natural  | R9 A         | V3        | ✓         |
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## GLAM BRONZE

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## MICHELANGELO ALTISSIMO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural  | R9           | V3        | ✓         |
| 1500x1500 | 6              | Natural  | R9           | V3        | ✓         |
| 1500x750  | 6              | Natural  | R9           | V3        | ✓         |
| 750x750   | 6              | Natural  | R9           | V3        | ✓         |
| 750x375   | 6              | Natural  | R9           | V3        | ✓         |
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## NEBULA GRIGIA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1500x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1500x750  | 6              | Silky    | -            | V3        | ✓         |
| 750x750   | 6              | Silky    | -            | V3        | ✓         |
| 750x375   | 6              | Silky    | -            | V3        | ✓         |
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## OCEAN STORM

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1500 | 6              | Jewel  | -            | V3        | ✓         |
| 1500x1500 | 6              | Jewel  | -            | V3        | ✓         |
| 1500x750  | 6              | Jewel  | -            | V3        | ✓         |
| 750x750   | 6              | Jewel  | -            | V3        | ✓         |
| 750x375   | 6              | Jewel  | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ONICE ALABASTRINO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## OPAL WHITE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1500 | 6              | Feel   | -            | V2        | ✓         |
| 1500x1500 | 6              | Feel   | -            | V2        | ✓         |
| 1500x750  | 6              | Feel   | -            | V2        | ✓         |
| 750x750   | 6              | Feel   | -            | V2        | ✓         |
| 750x375   | 6              | Feel   | -            | V2        | ✓         |
| 3000x1500 | 6              | Glint  | -            | V2        | ✓         |
| 1500x1500 | 6              | Glint  | -            | V2        | ✓         |
| 1500x750  | 6              | Glint  | -            | V2        | ✓         |
| 750x750   | 6              | Glint  | -            | V2        | ✓         |
| 750x375   | 6              | Glint  | -            | V2        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## OYSTER

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural | R9 A         | V4        | ✓         |
| 1500x1500 | 6              | Natural | R9 A         | V4        | ✓         |
| 1500x750  | 6              | Natural | R9 A         | V4        | ✓         |
| 750x750   | 6              | Natural | R9 A         | V4        | ✓         |
| 750x375   | 6              | Natural | R9 A         | V4        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## PALISSANDRO BLUE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1500 | 6              | Glint  | -            | V3        | ✓         |
| 1500x1500 | 6              | Glint  | -            | V3        | ✓         |
| 1500x750  | 6              | Glint  | -            | V3        | ✓         |
| 750x750   | 6              | Glint  | -            | V3        | ✓         |
| 750x375   | 6              | Glint  | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## PALISSANDRO ONICIATO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## PALISSANDRO WHITE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1500 | 6              | Glint  | -            | V3        | ✓         |
| 1500x1500 | 6              | Glint  | -            | V3        | ✓         |
| 1500x750  | 6              | Glint  | -            | V3        | ✓         |
| 750x750   | 6              | Glint  | -            | V3        | ✓         |
| 750x375   | 6              | Glint  | -            | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## PANDA WHITE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1500 | 6              | Glint  | -            | V3        | ✓         |
| 1500x1500 | 6              | Glint  | -            | V3        | ✓         |
| 1500x750  | 6              | Glint  | -            | V3        | ✓         |
| 750x750   | 6              | Glint  | -            | V3        | ✓         |
| 750x375   | 6              | Glint  | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## PATAGONIA

| Size (mm) | Thickness (mm) | Finish     | Slip Rating* | Variation | Rectified |
|-----------|----------------|------------|--------------|-----------|-----------|
| 3000x1500 | 6              | Top lapped | R9 A         | V4        | ✓         |
| 1500x1500 | 6              | Top lapped | R9 A         | V4        | ✓         |
| 1500x750  | 6              | Top lapped | R9 A         | V4        | ✓         |
| 750x750   | 6              | Top lapped | R9 A         | V4        | ✓         |
| 750x375   | 6              | Top lapped | R9 A         | V4        | ✓         |
| 3000x1500 | 6              | Natural    | R9 A         | V4        | ✓         |
| 1500x1500 | 6              | Natural    | R9 A+B       | V4        | ✓         |
| 1500x750  | 6              | Natural    | R9 A+B       | V4        | ✓         |
| 750x750   | 6              | Natural    | R9 A+B       | V4        | ✓         |
| 750x375   | 6              | Natural    | R9 A+B       | V4        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## PIETRA GREY

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Silky    | -            | V3        | ✓         |
| 2700x1200 | 6              | Silky    | -            | V3        | ✓         |
| 1500x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1200x1200 | 6              | Silky    | -            | V3        | ✓         |
| 1500x750  | 6              | Silky    | -            | V3        | ✓         |
| 750x750   | 6              | Silky    | -            | V3        | ✓         |
| 750x375   | 6              | Silky    | -            | V3        | ✓         |
|           |                |          |              |           |           |
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 2700x1200 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1200x1200 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |
|           |                |          |              |           |           |
| 3000x1500 | 6              | Natural  | R9 A         | V3        | ✓         |
| 2700x1200 | 6              | Natural  | R9 A         | V3        | ✓         |
| 1500x1500 | 6              | Natural  | R9 A         | V3        | ✓         |
| 1200x1200 | 6              | Natural  | R9 A         | V3        | ✓         |
| 1500x750  | 6              | Natural  | R9 A         | V3        | ✓         |
| 750x750   | 6              | Natural  | R9 A         | V3        | ✓         |
| 750x375   | 6              | Natural  | R9 A         | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## PIETRA PIASENTINA

| Size (mm) | Thickness (mm) | Finish | Slip Rating*         | Variation | Rectified |
|-----------|----------------|--------|----------------------|-----------|-----------|
| 3000x1500 | 6              | Flamed | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 1500x1500 | 6              | Flamed | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 1500x750  | 6              | Flamed | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 750x750   | 6              | Flamed | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 750x375   | 6              | Flamed | R10 A+B   PTV Wet 36 | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## PORT LAURENT

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



# Marble

ALPHABETICAL  
INDEX >>

## PREMIUM WHITE

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Silky    | -            | V3        | ✓         |
| 2700x1200 | 6              | Silky    | -            | V3        | ✓         |
| 1500x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1200x1200 | 6              | Silky    | -            | V3        | ✓         |
| 1500x750  | 6              | Silky    | -            | V3        | ✓         |
| 750x750   | 6              | Silky    | -            | V3        | ✓         |
| 750x375   | 6              | Silky    | -            | V3        | ✓         |
|           |                |          |              |           |           |
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 2700x1200 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1200x1200 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |
|           |                |          |              |           |           |
| 3000x1500 | 6              | Natural  | R9 A         | V3        | ✓         |
| 2700x1200 | 6              | Natural  | R9 A         | V3        | ✓         |
| 1500x1500 | 6              | Natural  | R9 A         | V3        | ✓         |
| 1200x1200 | 6              | Natural  | R9 A         | V3        | ✓         |
| 1500x750  | 6              | Natural  | R9 A         | V3        | ✓         |
| 750x750   | 6              | Natural  | R9 A         | V3        | ✓         |
| 750x375   | 6              | Natural  | R9 A         | V3        | ✓         |

Bookmatch available upon request.



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.




# Marble

ALPHABETICAL  
INDEX >>

## RHYNO

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x750  | 6              | Natural | R9 A         | V3        | ✓         |
| 750x750   | 6              | Natural | R9 A         | V3        | ✓         |
| 750x375   | 6              | Natural | R9 A         | V3        | ✓         |
| 3000x1500 | 6              | Glint   | -            | V3        | ✓         |
| 1500x1500 | 6              | Glint   | -            | V3        | ✓         |
| 1500x750  | 6              | Glint   | -            | V3        | ✓         |
| 750x750   | 6              | Glint   | -            | V3        | ✓         |
| 750x375   | 6              | Glint   | -            | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ROSSO IMPERIALE

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## SAHARA NOIR

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## SILVER ROOT

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural | R10 A+B      | V3        | ✓         |
| 1500x1500 | 6              | Natural | R10 A+B      | V3        | ✓         |
| 1500x750  | 6              | Natural | R10 A+B      | V3        | ✓         |
| 750x750   | 6              | Natural | R10 A+B      | V3        | ✓         |
| 750x375   | 6              | Natural | R10 A+B      | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## SODALITE BLU

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## STAUARIO ULTRA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.




# Marble

ALPHABETICAL  
INDEX >>

## STONE GREY

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |
| 3000x1500 | 6              | Natural  | R9           | V3        | ✓         |
| 1500x1500 | 6              | Natural  | R9           | V3        | ✓         |
| 1500x750  | 6              | Natural  | R9           | V3        | ✓         |
| 750x750   | 6              | Natural  | R9           | V3        | ✓         |
| 750x375   | 6              | Natural  | R9           | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## THASSOS

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | VI        | ✓         |
| 1500x1500 | 6              | Polished | -            | VI        | ✓         |
| 1500x750  | 6              | Polished | -            | VI        | ✓         |
| 750x750   | 6              | Polished | -            | VI        | ✓         |
| 750x375   | 6              | Polished | -            | VI        | ✓         |
| 3000x1500 | 6              | Natural  | R9           | VI        | ✓         |
| 1500x1500 | 6              | Natural  | R9           | VI        | ✓         |
| 1500x750  | 6              | Natural  | R9           | VI        | ✓         |
| 750x750   | 6              | Natural  | R9           | VI        | ✓         |
| 750x375   | 6              | Natural  | R9           | VI        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## TRAVERTINO NAVONA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## TRAVERTINO ROMANO

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*         | Variation | Rectified |
|-----------|----------------|--------------|----------------------|-----------|-----------|
| 3000x1500 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 1500x1500 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 1500x750  | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 750x750   | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 750x375   | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## TRAVERTINO SANTA CATERINA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |
| 3000x1500 | 6              | Natural  | R9           | V3        | ✓         |
| 1500x1500 | 6              | Natural  | R9           | V3        | ✓         |
| 1500x750  | 6              | Natural  | R9           | V3        | ✓         |
| 750x750   | 6              | Natural  | R9           | V3        | ✓         |
| 750x375   | 6              | Natural  | R9           | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## TRAVERTINO SILVER

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*         | Variation | Rectified |
|-----------|----------------|--------------|----------------------|-----------|-----------|
| 3000x1500 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 1500x1500 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 1500x750  | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 750x750   | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 750x375   | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## TRAVERTINO TITANIO

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*         | Variation | Rectified |
|-----------|----------------|--------------|----------------------|-----------|-----------|
| 3000x1500 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 1500x1500 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 1500x750  | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 750x750   | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 750x375   | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## TROPICAL BLACK

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |
| 3000x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1500x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1500x750  | 6              | Silky    | -            | V3        | ✓         |
| 750x750   | 6              | Silky    | -            | V3        | ✓         |
| 750x375   | 6              | Silky    | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## UNI ICE

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural  | R9           | VI        | ✓         |
| 3000x1000 | 6              | Natural  | R9           | VI        | ✓         |
| 1500x1500 | 6              | Natural  | R9           | VI        | ✓         |
| 1500x1000 | 6              | Natural  | R9           | VI        | ✓         |
| 1000x1000 | 6              | Natural  | R9           | VI        | ✓         |
| 1500x750  | 6              | Natural  | R9           | VI        | ✓         |
| 750x750   | 6              | Natural  | R9           | VI        | ✓         |
| 750x375   | 6              | Natural  | R9           | VI        | ✓         |
|           |                |          |              |           |           |
| 3000x1500 | 6              | Polished | -            | VI        | ✓         |
| 3000x1000 | 6              | Polished | -            | VI        | ✓         |
| 1500x1500 | 6              | Polished | -            | VI        | ✓         |
| 1500x1000 | 6              | Polished | -            | VI        | ✓         |
| 1000x1000 | 6              | Polished | -            | VI        | ✓         |
| 1500x750  | 6              | Polished | -            | VI        | ✓         |
| 750x750   | 6              | Polished | -            | VI        | ✓         |
| 750x375   | 6              | Polished | -            | VI        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## UNI PEPPER

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural  | R9           | VI        | ✓         |
| 3000x1000 | 6              | Natural  | R9           | VI        | ✓         |
| 1500x1500 | 6              | Natural  | R9           | VI        | ✓         |
| 1500x1000 | 6              | Natural  | R9           | VI        | ✓         |
| 1000x1000 | 6              | Natural  | R9           | VI        | ✓         |
| 1500x750  | 6              | Natural  | R9           | VI        | ✓         |
| 750x750   | 6              | Natural  | R9           | VI        | ✓         |
| 750x375   | 6              | Natural  | R9           | VI        | ✓         |
| 3000x1500 | 6              | Polished | -            | VI        | ✓         |
| 3000x1000 | 6              | Polished | -            | VI        | ✓         |
| 1500x1500 | 6              | Polished | -            | VI        | ✓         |
| 1500x1000 | 6              | Polished | -            | VI        | ✓         |
| 1000x1000 | 6              | Polished | -            | VI        | ✓         |
| 1500x750  | 6              | Polished | -            | VI        | ✓         |
| 750x750   | 6              | Polished | -            | VI        | ✓         |
| 750x375   | 6              | Polished | -            | VI        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## VERDE KARZAI

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## VERDE ST DENIS

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 2700x1200 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1200x1200 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



# Marble

ALPHABETICAL  
INDEX >>

## VOGUE

| Size (mm) | Thickness (mm) | Finish     | Slip Rating* | Variation | Rectified |
|-----------|----------------|------------|--------------|-----------|-----------|
| 3000x1500 | 6              | Top lapped | -            | V3        | ✓         |
| 1500x1500 | 6              | Top lapped | -            | V3        | ✓         |
| 1500x750  | 6              | Top lapped | -            | V3        | ✓         |
| 750x750   | 6              | Top lapped | -            | V3        | ✓         |
| 750x375   | 6              | Top lapped | -            | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## WHITE BEAUTY

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.

# Precious Collection



# Precious Collection

ALPHABETICAL  
INDEX >>

## CRYSTAL GREY

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



# Precious Collection

ALPHABETICAL  
INDEX >>

## CRYSTAL SKY

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



# Precious Collection

ALPHABETICAL  
INDEX >>

## GEM PEARL

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## GEM ROSE

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



# Precious Collection

ALPHABETICAL  
INDEX >>

## ONICE AVORIO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |
| 3000x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1500x1500 | 6              | Silky    | -            | V3        | ✓         |
| 1500x750  | 6              | Silky    | -            | V3        | ✓         |
| 750x750   | 6              | Silky    | -            | V3        | ✓         |
| 750x375   | 6              | Silky    | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ONICE BIANCO EXTRA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ONICE GHIACCIO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ONICE GRIGIO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ONICE MALAGA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |





Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ONICE NERO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ONICE ORO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ONICE PERLA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |
| 3000x1500 | 6              | Natural  | R9           | V3        | ✓         |
| 1500x1500 | 6              | Natural  | R9           | V3        | ✓         |
| 1500x750  | 6              | Natural  | R9           | V3        | ✓         |
| 750x750   | 6              | Natural  | R9           | V3        | ✓         |
| 750x375   | 6              | Natural  | R9           | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ONICE PLATINO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ONICE REALE

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x1500 | 6              | Polished | -            | V3        | ✓         |
| 1500x750  | 6              | Polished | -            | V3        | ✓         |
| 750x750   | 6              | Polished | -            | V3        | ✓         |
| 750x375   | 6              | Polished | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## ONICE ROSA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V4        | ✓         |
| 1500x1500 | 6              | Polished | -            | V4        | ✓         |
| 1500x750  | 6              | Polished | -            | V4        | ✓         |
| 750x750   | 6              | Polished | -            | V4        | ✓         |
| 750x375   | 6              | Polished | -            | V4        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## SELENITE BLACK

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1500 | 6              | Jewel  | -            | V3        | ✓         |
| 1500x1500 | 6              | Jewel  | -            | V3        | ✓         |
| 1500x750  | 6              | Jewel  | -            | V3        | ✓         |
| 750x750   | 6              | Jewel  | -            | V3        | ✓         |
| 750x375   | 6              | Jewel  | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## SELENITE GREIGE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1500 | 6              | Jewel  | -            | V3        | ✓         |
| 1500x1500 | 6              | Jewel  | -            | V3        | ✓         |
| 1500x750  | 6              | Jewel  | -            | V3        | ✓         |
| 750x750   | 6              | Jewel  | -            | V3        | ✓         |
| 750x375   | 6              | Jewel  | -            | V3        | ✓         |




Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.



## SELENITE WHITE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1500 | 6              | Jewel  | -            | V3        | ✓         |
| 1500x1500 | 6              | Jewel  | -            | V3        | ✓         |
| 1500x750  | 6              | Jewel  | -            | V3        | ✓         |
| 750x750   | 6              | Jewel  | -            | V3        | ✓         |
| 750x375   | 6              | Jewel  | -            | V3        | ✓         |



Iris Ceramica Group products include a certain number of different faces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the faces are selected randomly, and therefore vein continuity is not guaranteed. Iris Ceramica Group products are the outcome of the bond between earth and fire. Any vein continuity between two pieces is subject to the typical tolerance of natural products.

\* Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.

# Metal Collection



## ACCIAIO BRUNITO

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 2700x1200 | 6              | Lapped | -            | V3        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## ACCIAIO CORTEN

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 2700x1200 | 6              | Lapped | -            | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## ACCIAIO VERDERAME

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 2700x1200 | 6              | Lapped | -            | V3        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## LUCE GOLD

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1000 | 6              | Metal  | -            | V2        | ✓         |
| 1000x1000 | 6              | Metal  | -            | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## LUCE PEARL

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1000 | 6              | Metal  | -            | V2        | ✓         |
| 1000x1000 | 6              | Metal  | -            | V2        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## LUCE SILVER

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1000 | 6              | Metal  | -            | V2        | ✓         |
| 1000x1000 | 6              | Metal  | -            | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.

# One Collection




IRIS  
CERAMICA  
GROUP



## BLACK DIAMOND

| Size (mm) | Thickness (mm) | Finish  | Slip Rating*     | Variation | Rectified |
|-----------|----------------|---------|------------------|-----------|-----------|
| 3000x1500 | 6              | Natural | R9A   PTV Wet 36 | V3        | ✓         |
| 2700x1200 | 6              | Natural | R9A   PTV Wet 36 | V3        | ✓         |
| 1500x1500 | 6              | Natural | R9A   PTV Wet 36 | V3        | ✓         |
| 1200x1200 | 6              | Natural | R9A   PTV Wet 36 | V3        | ✓         |
| 1500x750  | 6              | Natural | R9A   PTV Wet 36 | V3        | ✓         |
| 750x750   | 6              | Natural | R9A   PTV Wet 36 | V3        | ✓         |
| 750x375   | 6              | Natural | R9A   PTV Wet 36 | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BRECCIA BLU

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural | R9           | V4        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## CITY BROWN

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## CITY DOVE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## CITY GREY

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## CITY PEARL

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## CREMA LUNA

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1000 | 6              | Flamed | R10 A+B      | V2        | ✓         |
| 2700x1200 | 6              | Flamed | R10 A+B      | V2        | ✓         |
| 1200x1200 | 6              | Flamed | R10 A+B      | V2        | ✓         |
| 1000x1000 | 6              | Flamed | R10 A+B      | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



# Stone Collection

ALPHABETICAL  
INDEX >>

## CREMA NEVE

| Size (mm) | Thickness (mm) | Finish     | Slip Rating* | Variation | Rectified |
|-----------|----------------|------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Structured | -            | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## FJORD BLACK

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*         | Variation | Rectified |
|-----------|----------------|--------------|----------------------|-----------|-----------|
| 3000x1000 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V2        | ✓         |
| 1500x1000 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V2        | ✓         |
| 1000x1000 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V2        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## FJORD GREY

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*         | Variation | Rectified |
|-----------|----------------|--------------|----------------------|-----------|-----------|
| 3000x1000 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V2        | ✓         |
| 1500x1000 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V2        | ✓         |
| 1000x1000 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V2        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## FJORD WHITE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*         | Variation | Rectified |
|-----------|----------------|--------------|----------------------|-----------|-----------|
| 3000x1000 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V2        | ✓         |
| 1500x1000 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V2        | ✓         |
| 1000x1000 | 6              | Natural Plus | R10 A+B   PTV Wet 36 | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## GRIGIO SAVELLI

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 2700x1200 | 6              | Cashmere | -            | V3        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## JATOBA BROWN

| Size (mm) | Thickness (mm) | Finish     | Slip Rating* | Variation | Rectified |
|-----------|----------------|------------|--------------|-----------|-----------|
| 3000x1500 | 6              | Top lapped | R10 A+B      | V3        | ✓         |
| 1500x1500 | 6              | Top lapped | R10 A+B      | V3        | ✓         |
| 1500x750  | 6              | Top lapped | R10 A+B      | V3        | ✓         |
| 750x750   | 6              | Top lapped | R10 A+B      | V3        | ✓         |
| 750x375   | 6              | Top lapped | R10 A+B      | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## LAVICA BEIGE

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural | R9           | V3        | ✓         |
| 1500x1000 | 6              | Natural | R9           | V3        | ✓         |
| 1000x1000 | 6              | Natural | R9           | V3        | ✓         |





Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## LAVICA BLACK

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural | R9           | V3        | ✓         |
| 1500x1000 | 6              | Natural | R9           | V3        | ✓         |
| 1000x1000 | 6              | Natural | R9           | V3        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## LAVICA DARK

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural | R9           | V3        | ✓         |
| 1500x1000 | 6              | Natural | R9           | V3        | ✓         |
| 1000x1000 | 6              | Natural | R9           | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



# Stone Collection

ALPHABETICAL  
INDEX >>

## LAVICA GREY

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural | R9           | V3        | ✓         |
| 1500x1000 | 6              | Natural | R9           | V3        | ✓         |
| 1000x1000 | 6              | Natural | R9           | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## LAVICA PEARL

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural | R9           | V3        | ✓         |
| 1500x1000 | 6              | Natural | R9           | V3        | ✓         |
| 1000x1000 | 6              | Natural | R9           | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## LIMESTONE ASH

| Size (mm) | Thickness (mm) | Finish     | Slip Rating*         | Variation | Rectified |
|-----------|----------------|------------|----------------------|-----------|-----------|
| 3000x1000 | 6              | Structured | R10 A+B   PTV Wet 36 | V2        | ✓         |
| 1500x1000 | 6              | Structured | R10 A+B   PTV Wet 36 | V2        | ✓         |
| 1000x1000 | 6              | Structured | R10 A+B   PTV Wet 36 | V2        | ✓         |





Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## LIMESTONE DEEP

| Size (mm) | Thickness (mm) | Finish     | Slip Rating*         | Variation | Rectified |
|-----------|----------------|------------|----------------------|-----------|-----------|
| 3000x1000 | 6              | Structured | R10 A+B   PTV Wet 36 | V2        | ✓         |
| 1500x1000 | 6              | Structured | R10 A+B   PTV Wet 36 | V2        | ✓         |
| 1000x1000 | 6              | Structured | R10 A+B   PTV Wet 36 | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## LIMESTONE MOON

| Size (mm) | Thickness (mm) | Finish     | Slip Rating*         | Variation | Rectified |
|-----------|----------------|------------|----------------------|-----------|-----------|
| 3000x1000 | 6              | Structured | R10 A+B   PTV Wet 36 | V2        | ✓         |
| 1500x1000 | 6              | Structured | R10 A+B   PTV Wet 36 | V2        | ✓         |
| 1000x1000 | 6              | Structured | R10 A+B   PTV Wet 36 | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## PALLADIUM GREY

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 2700x1200 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 1200x1200 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x750  | 6              | Natural | R9 A         | V3        | ✓         |
| 750x750   | 6              | Natural | R9 A         | V3        | ✓         |
| 750x375   | 6              | Natural | R9 A         | V3        | ✓         |





Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## PIETRA DI VALS

| Size (mm) | Thickness (mm) | Finish | Slip Rating*         | Variation | Rectified |
|-----------|----------------|--------|----------------------|-----------|-----------|
| 3000x1000 | 6              | Flamed | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 2700x1200 | 6              | Flamed | R10 A+B   PTV Wet 36 | V3        | ✓         |
| 1000x1000 | 6              | Flamed | R10 A+B   PTV Wet 36 | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## PLATINIUM WHITE

| Size (mm) | Thickness (mm) | Finish | Slip Rating*                  | Variation | Rectified |
|-----------|----------------|--------|-------------------------------|-----------|-----------|
| 3000x1500 | 6              | R9     | Natural plus R10   PTV Wet 36 | V3        | ✓         |
| 2700x1200 | 6              | R9     | Natural plus R10   PTV Wet 36 | V3        | ✓         |
| 1500x1500 | 6              | R9     | Natural plus R10   PTV Wet 36 | V3        | ✓         |
| 1200x1200 | 6              | R9     | Natural plus R10   PTV Wet 36 | V3        | ✓         |
| 1500x750  | 6              | R9     | Natural plus R10   PTV Wet 36 | V3        | ✓         |
| 750x750   | 6              | R9     | Natural plus R10   PTV Wet 36 | V3        | ✓         |
| 750x375   | 6              | R9     | Natural plus R10   PTV Wet 36 | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## PORTLAND BEIGE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## PORTLAND GREIGE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## PORTLAND WHITE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |





Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## SILVER WAVE

| Size (mm) | Thickness (mm) | Finish     | Slip Rating* | Variation | Rectified |
|-----------|----------------|------------|--------------|-----------|-----------|
| 3000x1500 | 6              | Top lapped | -            | V3        | ✓         |
| 1500x1500 | 6              | Top lapped | -            | V3        | ✓         |
| 1500x750  | 6              | Top lapped | -            | V3        | ✓         |
| 750x750   | 6              | Top lapped | -            | V3        | ✓         |
| 750x375   | 6              | Top lapped | -            | V3        | ✓         |
| 3000x1500 | 6              | Jewel      | -            | V3        | ✓         |
| 1500x1500 | 6              | Jewel      | -            | V3        | ✓         |
| 1500x750  | 6              | Jewel      | -            | V3        | ✓         |
| 750x750   | 6              | Jewel      | -            | V3        | ✓         |
| 750x375   | 6              | Jewel      | -            | V3        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## VICTORIAN STONE LIMESTONE BEIGE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural      | R9           | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## VICTORIAN STONE MOON CREAM

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural      | R9           | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## VICTORIAN STONE SILVER GREY

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural      | R9           | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A+B      | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.

# Cement & Resin Collection



## ASTER MAXIMUM MERCURY

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural | R9           | V2        | ✓         |
| 1500x1000 | 6              | Natural | R9           | V2        | ✓         |
| 1000x1000 | 6              | Natural | R9           | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## ASTER MAXIMUM MOON

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural | R9           | V2        | ✓         |
| 1500x1000 | 6              | Natural | R9           | V2        | ✓         |
| 1000x1000 | 6              | Natural | R9           | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## ASTER MAXIMUM VENUS

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 1000x3000 | 6              | Natural | R9           | V2        | ✓         |
| 1000x1500 | 6              | Natural | R9           | V2        | ✓         |
| 1000x1000 | 6              | Natural | R9           | V2        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BALANCE AZURE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural plus | R10 A+B      | V2        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BALANCE CHESTER GREEN

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural plus | R10 A+B      | V2        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BALANCE IVORY

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural plus | R10 A+B      | V2        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BALANCE LIGHT GREY

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural plus | R10 A+B      | V2        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BALANCE MARSALA RED

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural plus | R10 A+B      | V2        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BALANCE NUDE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural plus | R10 A+B      | V2        | ✓         |





Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BALANCE OCHRE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural plus | R10 A+B      | V2        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BALANCE STEEL BLUE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural plus | R10 A+B      | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## CON.CREA CLOUD

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 3000x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1000x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x750  | 6              | Natural | R9 A         | V3        | ✓         |
| 750x750   | 6              | Natural | R9 A         | V3        | ✓         |
| 750x375   | 6              | Natural | R9 A         | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## CON.CREA DOVE GREY

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 3000x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1000x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x750  | 6              | Natural | R9 A         | V3        | ✓         |
| 750x750   | 6              | Natural | R9 A         | V3        | ✓         |
| 750x375   | 6              | Natural | R9 A         | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## CON.CREA EARTH

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 3000x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1000x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x750  | 6              | Natural | R9 A         | V3        | ✓         |
| 750x750   | 6              | Natural | R9 A         | V3        | ✓         |
| 750x375   | 6              | Natural | R9 A         | V3        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## CON.CREA INK

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 3000x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1000x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x750  | 6              | Natural | R9 A         | V3        | ✓         |
| 750x750   | 6              | Natural | R9 A         | V3        | ✓         |
| 750x375   | 6              | Natural | R9 A         | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## CON.CREA TALC

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 3000x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x1500 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1000x1000 | 6              | Natural | R9 A         | V3        | ✓         |
| 1500x750  | 6              | Natural | R9 A         | V3        | ✓         |
| 750x750   | 6              | Natural | R9 A         | V3        | ✓         |
| 750x375   | 6              | Natural | R9 A         | V3        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## HQ RESIN CINDER

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural | R9   R9 A    | V2        | ✓         |
| 1500x1000 | 6              | Natural | R9   R9 A    | V2        | ✓         |
| 1000x1000 | 6              | Natural | R9   R9 A    | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## HQ RESIN DARK

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural | Natural R9   | V2        | ✓         |
| 1500x1000 | 6              | Natural | Natural R9   | V2        | ✓         |
| 1000x1000 | 6              | Natural | Natural R9   | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



# Cement & Resin Collection

ALPHABETICAL  
INDEX >>

## HQ RESIN WHITE

| Size (mm) | Thickness (mm) | Finish  | Slip Rating* | Variation | Rectified |
|-----------|----------------|---------|--------------|-----------|-----------|
| 3000x1000 | 6              | Natural | Natural R9   | V2        | ✓         |
| 1500x1000 | 6              | Natural | Natural R9   | V2        | ✓         |
| 1000x1000 | 6              | Natural | Natural R9   | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.




# Cement & Resin Collection

ALPHABETICAL  
INDEX >>

## MURA LUNARA

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural      | R9 A         | V2        | ✓         |
| 1200x1200 | 6              | Natural      | R9 A         | V2        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A+B      | V2        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## MURA RAMIA

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural      | R9 A         | V2        | ✓         |
| 1200x1200 | 6              | Natural      | R9 A         | V2        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A+B      | V2        | ✓         |





Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## MURA SANKIRA

| Size (mm) | Thickness (mm) | Finish       | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------------|--------------|-----------|-----------|
| 2700x1200 | 6              | Natural      | R9 A         | V2        | ✓         |
| 1200x1200 | 6              | Natural      | R9 A         | V2        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A+B      | V2        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## URBAN GREAT ANTHRACITE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*       | Variation | Rectified |
|-----------|----------------|--------------|--------------------|-----------|-----------|
| 3000x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 2700x1200 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 1500x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## URBAN GREAT DOVE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*       | Variation | Rectified |
|-----------|----------------|--------------|--------------------|-----------|-----------|
| 3000x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 2700x1200 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 1500x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## URBAN GREAT CREAM

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*       | Variation | Rectified |
|-----------|----------------|--------------|--------------------|-----------|-----------|
| 2700x1200 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## URBAN GREAT MUD

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*       | Variation | Rectified |
|-----------|----------------|--------------|--------------------|-----------|-----------|
| 2700x1200 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## URBAN GREAT GREY

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*       | Variation | Rectified |
|-----------|----------------|--------------|--------------------|-----------|-----------|
| 3000x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 2700x1200 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 1500x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## URBAN GREAT IVORY

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*       | Variation | Rectified |
|-----------|----------------|--------------|--------------------|-----------|-----------|
| 3000x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 2700x1200 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 1500x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## URBAN GREAT SAND

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*       | Variation | Rectified |
|-----------|----------------|--------------|--------------------|-----------|-----------|
| 3000x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 2700x1200 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 1500x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.




# Cement & Resin Collection

ALPHABETICAL  
INDEX >>

## URBAN GREAT WHITE

| Size (mm) | Thickness (mm) | Finish       | Slip Rating*       | Variation | Rectified |
|-----------|----------------|--------------|--------------------|-----------|-----------|
| 3000x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 2700x1200 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 1500x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |
| 1000x1000 | 6              | Natural plus | R10 A   PTV Wet 36 | V3        | ✓         |



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



...tive

IS  
ERAMICA  
ROUP



# Active

ALPHABETICAL  
INDEX >>

## CALACATTA ACTIVE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000x1500 | 6              | Active | R9           | V3        | ✓         |



Items randomly mixed inside the boxes.



\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.




## LAVICA BEIGE ACTIVE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000X1000 | 6              | Active | R9           | V3        | ✓         |
| 1000X1000 | 6              | Active | R9           | V3        | ✓         |



Items randomly mixed inside the boxes.





DISCOVER MORE

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## LAVICA BLACK ACTIVE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000X1000 | 6              | Active | R9           | V3        | ✓         |
| 1000X1000 | 6              | Active | R9           | V3        | ✓         |



Items randomly mixed inside the boxes.





\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## LAVICA DARK ACTIVE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000X1000 | 6              | Active | R9           | V3        | ✓         |
| 1000X1000 | 6              | Active | R9           | V3        | ✓         |



Items randomly mixed inside the boxes.




DISCOVER MORE

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.




## LAVICA GREY ACTIVE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000X1000 | 6              | Active | R9           | V3        | ✓         |
| 1000X1000 | 6              | Active | R9           | V3        | ✓         |



Items randomly mixed inside the boxes.



DISCOVER MORE

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## LAVICA PEARL ACTIVE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000X1000 | 6              | Active | R9           | V3        | ✓         |
| 1000X1000 | 6              | Active | R9           | V3        | ✓         |



Items randomly mixed inside the boxes.





\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.




## PIETRA GREY ACTIVE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000X1500 | 6              | Active | R9           | V3        | ✓         |



DISCOVER MORE



Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.




# Active

ALPHABETICAL  
INDEX >>

## UNI ICE ACTIVE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000X1500 | 6              | Active | R9           | VI        | ✓         |



DISCOVER MORE

Items randomly mixed inside the boxes.


\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.

IRIS CERAMICA GROUP all rights reserved.




## URBAN DOVE ACTIVE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000X1000 | 6              | Active | R9           | V3        | ✓         |
| 1000X1000 | 6              | Active | R9           | V3        | ✓         |



DISCOVER MORE




Items randomly mixed inside the boxes.

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.




## URBAN GREY ACTIVE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000X1000 | 6              | Active | R9           | V3        | ✓         |
| 1000X1000 | 6              | Active | R9           | V3        | ✓         |



Items randomly mixed inside the boxes.




DISCOVER MORE

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## URBAN IVORY ACTIVE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000X1000 | 6              | Active | R9           | V3        | ✓         |
| 1000X1000 | 6              | Active | R9           | V3        | ✓         |



Items randomly mixed inside the boxes.




DISCOVER MORE

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## URBAN WHITE ACTIVE

| Size (mm) | Thickness (mm) | Finish | Slip Rating* | Variation | Rectified |
|-----------|----------------|--------|--------------|-----------|-----------|
| 3000X1000 | 6              | Active | R9           | V3        | ✓         |
| 1000X1000 | 6              | Active | R9           | V3        | ✓         |



Items randomly mixed inside the boxes.



DISCOVER MORE

\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.


# Bookmatch





## BOOKMATCH ARABESCATO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |




\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BOOKMATCH ARABESCATO OROBICO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |




\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BOOKMATCH BLUE TEMPEST

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |



\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BOOKMATCH CALACATTA MACCHIA VECCHIA

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |



\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BOOKMATCH PALISSANDRO ONICIATO

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |



\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BOOKMATCH PATAGONIA

| Size (mm) | Thickness (mm) | Finish     | Slip Rating* | Variation | Rectified |
|-----------|----------------|------------|--------------|-----------|-----------|
| 3000x1500 | 6              | Top lapped | R9 A         | V4        | ✓         |
| 3000x1500 | 6              | Natural    | R9 A+B       | V4        | ✓         |



\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.



## BOOKMATCH PORT LAURENT

| Size (mm) | Thickness (mm) | Finish   | Slip Rating* | Variation | Rectified |
|-----------|----------------|----------|--------------|-----------|-----------|
| 3000x1500 | 6              | Polished | -            | V3        | ✓         |



\*The slip rating values and the static and dynamic coefficients of friction shown in the catalogue, website, or other sales materials are indicative only and non-binding. Any specific requirements must be confirmed by us at the time of order and, in any case, prior to installation. For further information, please contact us.