

Technical Data

Edition: September 2025

Eternal Stone | Summary

New collection



Collection: Eternal Stone | Color: Crema Marfil



Inspiration | click here

Visit the collection webpage in other languages.

Colors



Crema Marfil



Travertino



Decor All colors

Technical features

Natural Plus | R10 A+B ±6 mm

- 150×75
- 100×100
- 75×75

Natural Plus | R10 A+B ₹8 mm

- 120×120
- 120×60 + Decor
- 60×60
- 60×30

Antislip | R11 A+B+C ¥8 mm

• 60×60

Antislip | R11 A+B+C ¥20 mm

- 120×120
- 120×60
- 100×100
- 60×60

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

Eternal Stone

[New collection] Product details - Part 1 of 2

													Slabs
													Variability
Format (cm)	150 × 75	120 × 120		120 × 60		120 × 60	100 × 100		75 × 75	60 × 60			Index
Thickness (mm)	¥6mm	¥ 20 mm	¥8 mm	¥ 20 mm	¥8mm	¥8mm	¥ 20 mm	x 6mm	x 6mm	¥ 20 mm	x 8mm	x 8mm	The shade variation index
Finishing	Natural Plus	Antislip	Natural Plus	Antislip	Natural Plus	Natural Plus	Antislip	Natural Plus	Natural Plus	Antislip	Natural Plus	Antislip	is a rating to determine tile variation between
Skid Resistance	R10 A+B	R11 A+B+C	R10 A+B	R11 A+B+C	R10 A+B	R10 A+B	R11 A+B+C	R10 A+B	R10 A+B	R11 A+B+C	R10 A+B	R11 A+B+C	individual pieces of the
Description	-	_	_	_	_	Decor	_	_	_	-	-	-	same color group.
Crema Marfil	X1575500VX6	X1212500X2	X1212500X8	X126500X2	X126500X8	X1266500X8	X1010500X2	X1010500X6	X7575500VX6	X600500X2	X600500X8	X600500R11X8	V2 slightly different tone
Travertino	X1575501VX6	X1212501X2	X1212501X8	X126501X2	X126501X8	X1266501X8	X1010501X2	X1010501X6	X7575501VX6	X600501X2	X600501X8	X600501R11X8	V3 different tone
													Note
pieces - box	2	1	2	1	2	2	1	2	3	2	4	4	
boxes - pallet	30	16	24	32	36	36	24	26	40	30	32	32	
sqm - box	2,25	1,44	2,88	0,72	1,44	1,44	1	2	1,688	0,72	1,44	1,44	
sqm - pallet	67,5	23,04	69,12	23,04	51,84	51,84	24	52	67,52	21,6	46,08	46,08	
kg - sqm	13,7067	45,0226	17,45	45,0226	17,79	17,79	45,50	14,06	13,7915	45,2407	17,41	17,41	
kg - box	30,84	64,832	50,256	32,416	25,618	25,618	45,50	28,12	23,273	32,573	25,07	25,07	

Eternal Stone

[New collection] Product details - Part 2 of 2

							*	*	*	*	*	
												Slabs
												Variability
Format (cm)	60 × 30	30 × 30	120 × 7	100 × 6,5	75 × 6,5	60 × 7	150 × 37,5	120 × 30	100 × 30	75 × 37,5	60 × 30	Index
Thickness (mm)	x 8mm	¥ 8mm	X 8mm	X 6mm	x 6mm	¥ 8mm	¥ 6mm	x 8mm	¥ 6mm	¥ 6mm	¥8mm	The shade variation index
Finishing	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	is a rating to determine tile variation between
Skid Resistance	R10 A+B	R10 A+B	-	-	-	-	R10 A+B	individual pieces of the				
Description	-	Mosaic 4,7 × 4,7	Bullnose	Bullnose	Bullnose	Bullnose	Step with grooves	same color group.				
Crema Marfil	X630500X8	X370500X8	X1270500X8	X1065500X6	X765500VX6	X670500X8	X3715500VX6	X3213500X8	X3100500X6	X3775500VX6	X360500X8	V2 slightly different tone
Travertino	X630501X8	X370501X8	X1270501X8	X1065501X6	X765501VX6	X670501X8	X3715501VX6	X3213501X8	X3100501X6	X3775501VX6	X360501X8	V3 different tone
												Note
pieces - box	8	11	12	12	15	10	2	4	5	3	6	*Production
boxes - pallet	40	-	-	-	-	-	-	-	-	-	-	upon request
sqm - box	1,44	0,99	1,008	0,78	0,731	0,42	1,125	1,44	1,5	0,844	1,08	
sqm - pallet	57,6	-	-	-	-	-	-	-	-	-	-	
kg - sqm	17,33	1,57	1,46	0,92	0,69	0,78	7,91	6,4	4,2	3,96	3,12	
kg - box	24,955	17,27	17,52	11,04	10,35	7,8	15,82	25,6	21	11,88	18,72	

f 8

Technical product features

Declared values of production

Compliance with standards

The surfaces complies with the European standards EN 14411 (group B1a) and international standards ISO 13006 Annex G.

- ISO 10545-2 (Determination of dimensions and surface quality)
- ISO 10545-3 (Determination of water absorption)
- ISO 10545-4 (Determination of modulus of rupture and breaking strength)
- ISO 10545-6 (Determination of resistance to deep abrasion for unglazed tiles)
- ISO 10545-8 (Determination of linear thermal expansion)
- ISO 10545-9 (Determination of resistance to thermal shock)
- ISO 10545-12 (Determination of frost resistance)
- ISO 10545-13 (Determination of chemical resistance)
- ISO 10545-14 (Determination of resistance to stains)

And it must also guarantee conformity with:

- DIN 51094 (lightfastness of the colours)
- DIN EN 16165 Annex B (to measure the surfaces suitability for laying in areas where people walk footwear. Defining the "R-value" of the surfaces according to the table below):

```
\alpha < 6^{\circ} = \text{not classified}
6^{\circ} \le \alpha \le 10^{\circ} = \text{R9}
10^{\circ} < \alpha \le 19^{\circ} = \text{R10}
19^{\circ} < \alpha \le 27^{\circ} = \text{R11}
27^{\circ} < \alpha \le 35^{\circ} = \text{R12}
\alpha > 35^{\circ} = \text{R13}
```

• DIN EN 16165 - Annex A (to measure the surfaces suitability for laying in areas where people walk barefoot. Given an "A, B and C" value according to the table below):

```
\alpha < 12° = not classified

12° \leq \alpha < 18° = A

18° \leq \alpha < 24° = B (A+B)

\alpha \geq 24° = C (A+B+C)
```

10

Compliance with these characteristics is checked in accordance with the certified quality management system of the UNI-EN ISO 9001 standard in addition to being guaranteed by the manufacturer.

Porcelaingres surfaces are made with low environmental impact in accordance with LEED_BREEAM guidelines by using both new strategies for the continuous improvement of environmental friendliness and the aim of reducing wasting of non-renewable resources, in addition to using natural raw materials commonly found in the environment and recycled materials.

Featu	res	Norms	▲ Required standard	Declared values
	water absorption	ISO 10545-3	≤ 0,5%	< 0,05%
	sizes	ISO 10545-2	length and width	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max
1	bending strength	ISO 10545-4	≥ 35 N/mm²	> 48N/mm² For 20mm slabs: > 42N/mm²
	resistance to deep abrasion	ISO 10545-6	≤ 175 N/mm³	≤ 140 mm³
	thermal expansion coefficient	ISO 10545-8	testing method available	7 MK-¹
	thermal shock resistance	ISO 10545-9	testing method available	resistant
	frost resistance	ISO 10545-12	no sample must show alterations to surface	frost resistance
	chemical resistance	ISO 10545-13	no sample must show visible signs of chemical attack (acids-bases-additives for pools) except for products containing hydrofluoric acid and derivates.	unaffected
	stain resistance	ISO 10545-14	unglazed tiles: testing method available	class 5
	colour resistance to light	DIN 51094	no sample must show noticeable colour change	no change in brightness or colour
F)	skid resistance average coefficient of friction (µ)	DIN EN 16165 Annex B		R10 R11
	coemolent of friction (μ)	DIN EN 16165 Annex A		A+B A+B+C

Certifications

Sensitivity towards ethycal, environmental, safety and quality concerns

Product Certifications:



LEED certification: is a global system used in 40+ countries to check if buildings are environmentally friendly. The LEED (Leadership in Energy and Environmental Design) It evaluates how well a building is sustainable in terms of the environment, society, and economy. The slabs in this tool have over 40% recycled material, following the ISO 14021 standard, ensuring the highest LEED points.

BREEAM certification is a widely used global standard that measures how buildings impact the environment. It has strictw rules and checks based on the latest technology and knowledge. The rating system demands certifications based on strict technical parameters and quality control.

You can find the updated list of certified collections at www.porcelaingres.com/downloads/.



UPEC classification associated with the QB certification mark attests to the compliance of floor and wall coverings with the technical requirements set out in certification reference documents. It assigns classifications of use indicating that the durability of a product is appropriate for use on specific types of premises.

The list of the certified products is available at http://evaluation.cstb.fr/



CE MARK - It indicates that Porcelaingres products comply with the requirements of 305/2011 UE directive – in particular with regard to health production and the users and consumers' safety – and may thus be freely circulated on the Community market. For the declarations of conformity of each single product, please refer to: www.porcelaingres.com/downloads/.



The **China Compulsory Certificate** mark, commonly known as a **CCC Mark**, is a compulsory safety mark for our Great Format products imported, sold or used in the Chinese market.

The certification is available at www.porcelaingres.com/downloads/.



EPD (Environmental Product Declaration): a voluntary type III product declaration, based on analysis of the product life cycle (with a "from cradle to grave" approach) in accordance with the EN 15804 standard. This declaration is drawn up with reference to the guidelines of the UNI EN ISO 14040 standard and the specific PCR (Product Category Rules). This document describes the environmental impact linked to the entire life cycle of a specific quantity of product. Our Company was the first to certify its products (see www.environdec.com) with specific EPD, validated by an independent third-party Body.

The certification is available at www.porcelaingres.com/downloads/.



GREENGUARD certification ensures indoor products have minimal emissions of volatile substances for healthier environments. GREENGUARD Gold Certification considers safety for sensitive individuals and approves products for use in places like schools and healthcare facilities. Widely recognized globally in sustainable building programs, it is referenced by The Collaborative for High Performance Schools (CHPS) and Leadership in Energy and Environmental Design (LEED) in the United States.

Certified collections can be found at https://spot.ul.com/.

Integrated Management System Certifications:



ISO 9001 certification: for corporate Quality system management. The certification, valid at an international level, concerns corporate management in its entirety, from research and development to production, and from distribution to customer support. This system certifies that the Company has implemented an internal quality management system.

The certification is available at www.porcelaingres.com/downloads/.



ISO 50001 certification: for organizations committed to addressing their impact, conserving resources and improving the bottom line through efficient energy management. The standard specifies the requirements for establishing, implementing, maintaining and improving an energy management system, whose purpose is to enable an organization to follow a systematic approach in achieving continual improvement of energy performance, including energy efficiency, energy security, energy use and consumption.

The certification is available at www.porcelaingres.com/downloads/.

Environmental Information and Labels:



Declare label: a badge for construction materials, essentially functioning as a voluntary self-disclosure program. This initiative furnishes details about the material's composition, final assembly locations, lifespan, end-of-life options, and overall adherence to pertinent Living Building Challenge® (LBC) requirements

Accessible through a complimentary database, Declare® labels prove to be an essential tool for designers and architects, empowering them to specify products aligning with the criteria of key green building standards, including Core Green Building certifications, LBC, LEED, and WELL.

All our materials hold the classification of being "Red List Free," affirming their absence of chemicals listed in the Living Building Challenge's "Red List."

More info available at https://declare.living-future.org/products/ceramic-slabs.



ISO 14067 certification: is an international standard that outlines the principles and guidelines for measuring and communicating the carbon footprint of products. This certification focuses on assessing and managing the carbon emissions associated with all stages of a product's life cycle, from raw material extraction through production, distribution, use, and disposal.

The certification is available at www.porcelaingres.com/downloads/.



The **Cradle to Cradle** certification recognizes sustainable products, focusing on material health, recyclability, renewable energy, water use, and social fairness. It promotes a circular economy by encouraging reusable or upcycled products, reducing waste and environmental impact. **Available** exclusively for our Great Collections (Large format).

 $The \ certification \ is \ available \ at \ \underline{https://c2ccertified.org/certified-products/porcelain-stoneware-slabs}.$



Porcelaingres[®]

Porcelaingres GmbH

Irisstraße 1 03226 Vetschau – Germany Tel. +49 (0)35433 / 597-0

GranitiFiandre spa

Via Radici Nord, 112 42014 Castellarano (RE) – Italy Tel. +39 0536 819611

Castellarano Showroom

Via Guido Reni 2 42014 Castellarano (RE) – Italy www.porcelaingres.com info@porcelaingres.com

Vetschau Showroom

Irisstraße 1 03226 Vetschau – Germany www.porcelaingres.com info@porcelaingres.com

A BRAND OF



Search "PORCELAINGRES" on your app store www.porcelaingres.com/pdfapp









Technical Data 2025 • Edition: September 2025

Colors and decors reproductions are approximate. All rights are reserved. Total or partial reproduction of text or illustrations of this catalogue is prohibited and is subject to legal sanctions. Data were updated at the catalogue printing time; therefore, the listed data may alter.