

Porcelaingres. Smart Book.



2026

All Collections.

Concrete

Cosmo	42
Urban [Updated]	52
Urban Great Large slabs	64
Soft Concrete	72
Stardust Full Body	82

Stone

Eternal Stone [New]	30
Estro Full Body	90
Solid Stone	100
Dune [Updated]	110
Native Stone	120
Royal Stone [Updated]	130
Great Royal Stone Large slabs	142
Loft Full Body	150
Silk Stone	160

Marble

Great Elite Large slabs	168
Great One Large slabs	176

Color

Color Studio	184
--------------	-----

Metal

Radical	194
---------	-----

Wood

Pure Wood	202
In Wood	210

1 2026 News.

New Launches & Updates	4
------------------------	---

2 Identity.

Who we are	10
What we do	14
Sustainability	18
Wind Turbine Upcoming project	24

3 Products.

New collection	28
Core collections	40
Outdoor solutions	218
Collections overview	232

4 Insights.

Full Body	236
Edge finishes	238
Certifications	240
Technical product features	242
Packaging details Large slabs	250
Outdoor installations	262

5 Finder.

Search by: $\frac{z}{z}$ 6 mm	276
Search by: $\frac{z}{z}$ 8 mm	278
Search by: $\frac{z}{z}$ 20 mm	280
Search by: Special formats	282
Search by: Skid Resistance "R"	286
Search by: Shades & Effects	288

1

2026 News.

Explore what's new and evolved.
Inspiration starts here.

- **New Launch** – Introducing Eternal Stone:
A refined selection of stone-inspired surfaces designed for timeless elegance and durability.

Stone

Eternal Stone	30
---------------	----

- **Updates** – Core collections:
Now available in **120×120 cm**, thicknesses **8/20 mm**,
manufactured at our Vetschau facility in Germany:

Concrete

Urban	52
-------	----

Stone

Dune	110
Royal Stone	130

From inspiration
to realization.

**Let's start a project.
Together.**


2

Identity.

**Porcelain stoneware surfaces,
where Italian design meets German quality.**

Who we are	10
What we do	14
Sustainability	18
Wind Turbine Upcoming project	24

**Porcelaingres.
Timeless.**



Who we are

Since 2003, we produce high-quality, innovative, and eco-sustainable ceramic surfaces, that combine the excellence of Italian design with the highest production quality Made in Germany.

Our two production plants, one in Castellarano (Italy), and the other in Vetschau (Germany), use the best raw materials and technologies.

We are part of Iris Ceramica Group, a large Italian group with a history of over 60 years, a world leader in the design, production and distribution of high-quality slabs.



84.000 m²
Production Area

Porcelaingres production site in Vetschau (Germany).

What we do

From the beginning, we have specialized in the production of porcelain slabs in standard sizes and special formats: our product range includes a wide variety of colors, finishes, effects, as well as formats and thicknesses.

Our philosophy is to embrace change as an opportunity to challenge, develop and optimize our standards.

Our goals to discover the full potential of our brand and provide an enhanced experience for our customers has driven us to create a range of premium products and services.

At every step of the purchasing journey and beyond, we provide a comprehensive package that encompasses top-tier products, exclusive consulting services, personalized solutions, and expert support.





**4.5 million m²
Production Capacity**


Ceramic rollers on which our porcelain slabs run through the kilns at our production site in Vetschau (Germany).



Sustainability

We are committed to ensuring that the production of porcelain slabs respects sustainable and responsible models through:

- **Low Ecological Footprint Materials:** We source our raw materials from suppliers who share our commitment to sustainability and high quality. We use only natural materials or materials derived from industrial waste and we recycle our waste directly at the place of production.
- **Energy and Water Savings:** We invest in cutting-edge technologies that reduce energy and water consumption. Our production processes are designed to minimize waste and optimize efficiency. The water required for production is sourced from an artificial reservoir at our facility, where rainwater is collected, filtered, and reused. We do not use water from aqueducts or underground wells.
- **Carbon Emission Reduction:** We are committed to reducing the amount of greenhouse gases emitted into the atmosphere by our operations. We introduce renewable energy sources, improve transport logistics, and minimize waste. Recycling the hot air from the kilns to generate energy allows us to reduce CO₂ emissions at all our facilities by as much as 4,000 tons per year.
- **ISO 50001 Certificates obtained since 2013.**




**2.4 Megawatt of
peak electricity
from solar energy.**

Thanks to the 800-square-meter photovoltaic system, the plant generates around 2.4 megawatts of peak electricity from solar energy.



**Water Sourcing
for Production.**

The water we need for our production comes from a pond located at our production site, where rainwater is collected, filtered and (re)used.



Recycling of production waste:

- 7.150 tons of powder and unburnt slabs.**
- 10.500 tons of burnt production waste.**

The impact of sourcing raw materials is mitigated through the recycling of production waste.

Wind Turbine Upcoming project

We are excited to announce a project to build a wind turbine as a commitment to new sustainability standards.

This project represents a significant progress in our mission to reduce environmental impact and promote sustainable practices in all our operations.

The wind turbine will be designed to generate clean and renewable energy. The wind generator serves as an innovative response to powering our production activities.

We hope that the wind turbine will become a model for the adoption of alternative energy sources and the demonstration of concrete choices that industrial entities can make to address green challenges.

We think that our project will be able to inspire other companies to follow this example and contribute to the wider effort to achieve new standards of sustainability.

We believe this decision represents a significant step, and we look forward to sharing more information about this exciting project in the coming months.



3

Products.

Since 2003, we have specialized in the production of porcelain slabs: our product range includes a wide variety of colours, finishes, effects, as well as formats and thicknesses.

New collection	28
Core collections	40
Outdoor solutions	218
Collections overview	232



New Collection

**A fusion of modern design
and elegance.**

Discover our new range where style knows no limits,
inspiring creativity and setting a new standard for
your projects.

Stone

Eternal Stone

30

Eternal Stone

New collection



Collection: Eternal Stone | Color: Travertino



Collection: Eternal Stone | Colors: Travertino, Crema Marfil



Eternal Stone | Summary

New collection



Collection: Eternal Stone | Color: Crema Marfil – Decor



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Crema Marfil



Travertino



Decor
All colors

Technical features

Natural Plus | R10 A+B \approx 6 mm

- 150×75
- 100×100
- 75×75

Natural Plus | R10 A+B \approx 8 mm

- 120×120
- 120×60 + Decor
- 60×60
- 60×30

Antislip | R11 A+B+C \approx 8 mm

- 60×60

Antislip | R11 A+B+C \approx 20 mm

- 120×120
- 120×60
- 100×100
- 60×60

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

Core Collections

Crafted to blend in, built to stand out.

A selection of established, versatile surfaces developed for a wide range of applications. These collections offer consistent quality, timeless aesthetics, and formats suitable for various projects.



Concrete

Cosmo	42
Urban [Updated]	52
Urban Great Large slabs	64
Soft Concrete	72
Stardust Full Body	82

Stone

Estro Full Body	90
Solid Stone	100
Dune [Updated]	110
Native Stone	120
Royal Stone [Updated]	130
Great Royal Stone Large slabs	142
Loft Full Body	150
Silk Stone	160

Marble

Great Elite Large slabs	168
Great One Large slabs	176

Color

Color Studio	184
--------------	-----

Metal

Radical	194
---------	-----

Wood

Pure Wood	202
In Wood	210


Cosmo



Collection: Cosmo | Color: Cosmo Beige



Collection: Cosmo | Colors: Cosmo Anthracite, Cosmo Brown




Cosmo | Summary




Collection: Cosmo | Color: Cosmo Grey

Colors



Cosmo
Beige



Cosmo
Grey



Cosmo
Brown



Cosmo
Anthracite

Technical features

Natural Plus | R10 A+B \pm 6 mm

- 100×100

Natural Plus | R10 A+B \pm 8 mm

- 120×60
- 60×60
- 60×30

Antislip | R11 A+B+C \pm 20 mm

- 120×60
- 100×100
- 60×60

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Urban

Updated – New formats available



Collection: Urban | Color: Urban Brown – Fishbone



Collection: Urban | Colors: Urban Dove – Line Decor, Urban Beige – Weave Decor



Urban | Summary

Updated – New formats available



Collection: Urban | Color: Urban Beige



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Urban Anthracite*



Urban Dove



Urban Grey*



Urban Ivory*



Urban Sand



Urban White



Urban Cream*




Urban Beige*



Urban Mud*



Urban Brown*



Weave Decor All colors



Line Decor All colors

Technical features

Natural Plus | R10 A \approx 6 mm

- 150×75
- 100×100
- 75×75

Natural Plus | R10 A+B \approx 8 mm

- 120×120
- 120×60 + Weave Decor
- 60×60 + Weave Decor
- 60×30
- 60×10 Fishbone

Structured \approx 8 mm

- 120×60 Line Decor

Antislip | R11 A+B+C \approx 6/8 mm

- 120×60
- 100×100 (\approx 6 mm)
- 60×60
- 60×30

Antislip | R11 A+B+C \approx 20 mm

- 120×120
- 120×60
- 100×100*
- 60×60

Specials

- Mosaic
- Bullnose
- Step




40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

Urban

[Updated – New formats available] Product details – Part 1 of 3

Technical product features at page 242

Format (cm)								Slabs Variability Index						
Thickness (mm)	±6 mm	±20 mm	±8 mm	±20 mm	±8 mm	±8 mm	±8 mm	±8 mm	±20 mm	±6 mm	±6 mm	±6 mm	±6 mm	The shade variation index is a rating to determine tile variation between individual pieces of the same color group.
Finishing	Natural Plus	Antislip	Natural Plus	Antislip	Natural Plus	Antislip	Natural Plus	Structured	Antislip	Natural Plus	Antislip	Natural Plus	Antislip	
Skid Resistance	R10 A	R11 A+B+C	R10 A+B	R11 A+B+C	R10 A+B	R11 A+B+C	R10 A+B	–	R11 A+B+C	R10 A	R11 A+B+C	R10 A	R10 A	
Description	–	–	–	–	–	–	Weave decor	Line decor	–	–	–	–	–	
Urban Anthracite	X1575290VX6	X1212290X2	X1212290X8	X126290X2	X126290X8	X126290R11X8		X1266290X8	X1267290X8	X1010290X2	X1010290X6	X1010290R11X6	X7575290VX6	 V3 different tone
Urban Dove	X1575291VX6	X1212291X2	X1212291X8	X126291X2	X126291X8	X126291R11X8		X1266291X8	X1267291X8		X1010291X6	X1010291R11X6	X7575291VX6	 V3 different tone
Urban Grey	X1575292VX6	X1212292X2	X1212292X8	X126292X2	X126292X8	X126292R11X8		X1266292X8	X1267292X8	X1010292X2	X1010292X6	X1010292R11X6	X7575292VX6	 V3 different tone
Urban Ivory	X1575293VX6	X1212293X2	X1212293X8	X126293X2	X126293X8	X126293R11X8		X1266293X8	X1267293X8	X1010293X2	X1010293X6	X1010293R11X6	X7575293VX6	 V3 different tone
Urban Sand	X1575294VX6	X1212294X2	X1212294X8	X126294X2	X126294X8	X126294R11X8		X1266294X8	X1267294X8		X1010294X6	X1010294R11X6	X7575294VX6	 V3 different tone
Urban White	X1575295VX6	X1212295X2	X1212295X8	X126295X2	X126295X8	X126295R11X8		X1266295X8	X1267295X8		X1010295X6	X1010295R11X6	X7575295VX6	 V3 different tone
Urban Cream	X1575299VX6	X1212299X2	X1212299X8	X126299X2	X126299X8	X126299R11X8		X1266299X8	X1267299X8	X1010299X2	X1010299X6	X1010299R11X6	X7575299VX6	 V3 different tone
Urban Beige	X1575298VX6	X1212298X2	X1212298X8	X126298X2	X126298X8	X126298R11X8		X1266298X8	X1267298X8	X1010298X2	X1010298X6	X1010298R11X6	X7575298VX6	 V3 different tone
Urban Mud	X1575297VX6	X1212297X2	X1212297X8	X126297X2	X126297X8	X126297R11X8		X1266297X8	X1267297X8	X1010297X2	X1010297X6	X1010297R11X6	X7575297VX6	 V3 different tone
Urban Brown	X1575296VX6	X1212296X2	X1212296X8	X126296X2	X126296X8	X126296R11X8		X1266296X8	X1267296X8	X1010296X2	X1010296X6	X1010296R11X6	X7575296VX6	 V3 different tone
														Note
pieces - box	2	1	2	1	2	2		2	2	1	2	2	3	
boxes - pallet	30	16	24	32	36	36		36	36	24	26	26	40	
sqm - box	2,25	1,44	2,88	0,72	1,44	1,44		1,44	1,44	1	2	2	1,688	
sqm - pallet	67,5	23,04	69,12	23,04	51,84	51,84		51,84	51,84	24	52	52	67,52	
kg - sqm	13,7067	45,0226	17,45	45,0226	17,79	17,79		17,79	17,79	45,50	14,06	14,06	13,7915	
kg - box	30,84	64,832	50,256	32,416	25,618	25,618		25,618	25,618	45,50	28,12	28,12	23,273	

Urban Great

Large slabs



Collection: Urban Great | Color: Urban Great Cream



Collection: Urban Great | Colors: Urban Great Ivory, Urban Great Sand



Urban Great | Summary



Collection: Urban Great | Color: Urban Great White



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Urban Great Anthracite*



Urban Great Sand*



Urban Great Dove*



Urban Great Ivory*



Urban Great Grey*



Urban Great White*



Urban Great Cream



Urban Great Mud

Technical features

Natural Plus | R10 A \pm 6 mm

- 300 × 100*
- 270 × 120
- 150 × 100*
- 100 × 100*



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.




Soft Concrete

Collection: Soft Concrete | Color: Soft Beige – Hexagon Decor



Collection: Soft Concrete | Colors: Soft Iron – Hexagon Decor, Soft Brown



Soft Concrete | Summary



Collection: Soft Concrete | Color: Soft White



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Soft Iron



Soft Beige



Soft Silver



Soft White



Soft Brown



Hexagon Decor
All colors

Technical features

Natural Plus | R10 A+B \pm 6 mm

- 100×100

Natural Plus | R10 A+B \pm 8 mm

- 120×60 + Hexagon Decor
- 60×60 + Hexagon Decor
- 60×30

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

Stardust


Full Body



Collection: Stardust | Colors: Aquamarine, Moonlight




Collection: Stardust | Colors: Galaxy – Decor, Clay, Ash



Stardust | Summary

Full Body collection



Collection: Stardust | Color: Ground



Inspiration | [click here](#)

Visit the collection webpage in other languages.


Colors



Ocean



Lava



Ash



Moonlight




Aquamarine



Ground



Terra



Clay



Galaxy Decor

Technical features

Natural Plus | R10 A+B \pm 6 mm

- 100×100

Natural Plus | R10 A+B \pm 8 mm

- 120×60 + Decor
- 60×60 + Decor
- 60×30

Specials

- Mosaic
- Bullnose
- Step

Full Body To the core of natural stone.

Thanks to a special porcelain stoneware manufacturing process, Full Body presents a chromatic homogeneity from the surface to the core. The result is a product with tangible depth and a more natural appearance, enhancing its material realism.



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

Estro

Full Body



Collection: Estro | Colors: Estro Cream, Estro Beige



Collection: Estro | Colors: Estro Brown, Estro Anthracite



Estro | Summary

Full Body collection



Collection: Estro | Color: Estro Grey



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Estro Anthracite



Estro Grey



Estro Beige



Estro Cream



Estro Brown

Technical features

Natural Plus | R10 A+B \approx 6 mm

- 150×75
- 100×100
- 75×75

Natural Plus | R10 A+B \approx 8 mm

- 120×60
- 60×60
- 60×30

Antislip | R11 A+B+C \approx 20 mm

- 120×60
- 100×100
- 60×60

Specials


- Mosaic
- Bullnose
- Step

Full Body To the core of natural stone.

Thanks to a special porcelain stoneware manufacturing process, Full Body presents a chromatic homogeneity from the surface to the core. The result is a product with tangible depth and a more natural appearance, enhancing its material realism.



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



Collection: Solid Stone | Color: Solid Stone Brown



Collection: Solid Stone | Colors: Solid Stone Anthracite, Solid Stone Beige



Solid Stone | Summary



Collection: Solid Stone | Color: Solid Stone Anthracite

Colors



Solid Stone
Beige



Solid Stone
Grey



Solid Stone
Brown



Solid Stone
Anthracite

Technical features

Natural Plus | R10 A+B \pm 6 mm

- 100×100

Natural Plus | R10 A+B \pm 8 mm

- 120×60
- 60×60
- 60×30

Antislip | R11 A+B+C \pm 20 mm

- 120×60
- 100×100
- 60×60

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Dune


Updated – New formats available



Collection: Dune | Color: Amber



Collection: Dune | Colors: Nebula, Seashell – Wave Decor



Dune | Summary

Updated – New formats available



Collection: Dune | Color: Lime – Wave Decor



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Lime



Taupe*



Pearl*



Amber*



Nebula



Shadow*



Seashell



Wave Decor
All colors

Technical features

Natural Plus | R10 A+B \approx 6 mm

- 150×75
- 100×100
- 75×75

Natural Plus | R10 A+B \approx 8 mm

- 120×120
- 120×60
- 60×60
- 60×30

Structured \approx 8 mm

- 120×60 Wave Decor
- 60×30 Wave Decor

Antislip | R11 A+B+C \approx 8 mm

- 60×60

Antislip | R11 A+B+C \approx 20 mm*

- 120×120
- 120×60
- 100×100
- 60×60


Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.


Native Stone




Collection: Native Stone | Color: Dusky Greige



Collection: Native Stone | Colors: Mineral Black, Cloudy White



Native Stone | Summary



Collection: Native Stone | Color: Alver Beige – Fishbone



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Mineral Black



Dusky Greige*



Authentic Brown



Alver Beige*



Mystic Grey*



Cloudy White



Decor All colors

Technical features

Natural Plus | R10 A+B \approx 6 mm

- 150×75
- 100×100
- 75×75

Natural Plus | R10 A+B \approx 8 mm

- 120×60 + Decor
- 60×60 + Decor
- 60×30
- 60×10 Fishbone

Antislip | R11 A+B+C \approx 8 mm

- 60×60

Antislip | R11 A+B+C \approx 20 mm*

- 120×60
- 100×100
- 60×60

Specials


- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

Royal Stone

Updated – New formats available



Collection: Royal Stone | Color: Noble Beige



Collection: Royal Stone | Colors: Imperial Brown, Black Diamond



Royal Stone | Summary

Updated – New formats available



Collection: Royal Stone | Color: Platinum White – Fishbone



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors




Black Diamond



Imperial Brown



Palladium Grey



Noble Beige



Platinum White

Technical features

Natural Plus | R10 A+B \geq 6 mm

- 150×75
- 100×100
- 75×75

Natural Plus | R10 A+B \geq 8 mm

- 120×120
- 120×60
- 60×60
- 60×30
- 60×10 Fishbone

Antislip | R11 A+B+C \geq 6/8 mm

- 120×60
- 100×100 (\geq 6 mm)
- 60×60
- 60×30

Antislip | R11 A+B+C \geq 20 mm

- 120×120
- 120×60
- 100×100
- 60×60

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

Royal Stone

[Updated – New formats available] Product details – Part 2 of 3

Technical product features at page 242

Format (cm)																			Slabs Variability Index
Thickness (mm)	±20 mm	±8 mm	±8 mm	±8 mm	±8 mm	±8 mm	±8 mm	±8 mm	±8 mm	±8 mm	±8 mm	±8 mm	±6 mm	±6 mm	±8 mm	<p>The shade variation index is a rating to determine tile variation between individual pieces of the same color group.</p>  V3 different tone  V3 different tone  V3 different tone  V3 different tone  V3 different tone			
Finishing	Antislip	Natural Plus	Antislip	Natural Plus	Antislip	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus	Natural Plus				
Skid Resistance	R11 A+B+C	R10 A+B	R11 A+B+C	R10 A+B	R11 A+B+C	R10 A+B	R10 A+B	R10 A+B	R10 A+B	-	-	-	-	-	-				
Description	-	-	-	-	-	Fishbone	Mosaic 3,1 × 3,1	Mosaic 4,7 × 4,7	Bullnose	Bullnose	Bullnose	Bullnose	Bullnose	Bullnose	Bullnose				
Black Diamond	X600380X2	X600380X8	X600380R11X8	X630380X8	X630380R11X8	X160380X8	X373380X8	X370380X8	X1270380X8	X1065380X6	X765380VX6	X670380X8							
Imperial Brown	X600381X2	X600381X8	X600381R11X8	X630381X8	X630381R11X8	X160381X8	X373381X8	X370381X8	X1270381X8	X1065381X6	X765381VX6	X670381X8							
Palladium Grey	X600382X2	X600382X8	X600382R11X8	X630382X8	X630382R11X8	X160382X8	X373382X8	X370382X8	X1270382X8	X1065382X6	X765382VX6	X670382X8							
Noble Beige	X600383X2	X600383X8	X600383R11X8	X630383X8	X630383R11X8	X160383X8	X373383X8	X370383X8	X1270383X8	X1065383X6	X765383VX6	X670383X8							
Platinum White	X600384X2	X600384X8	X600384R11X8	X630384X8	X630384R11X8	X160384X8	X373384X8	X370384X8	X1270384X8	X1065384X6	X765384VX6	X670384X8							
pieces - box	2	4	4	8	8	15	11	11	12	12	15	10							
boxes - pallet	30	32	32	40	40	60	-	-	-	-	-	-							
sqm - box	0,72	1,44	1,44	1,44	1,44	0,9	0,99	0,99	1,008	0,78	0,731	0,42							
sqm - pallet	21,6	46,08	46,08	57,6	57,6	54	-	-	-	-	-	-							
kg - sqm	45,2407	17,41	17,41	17,33	17,33	17,33	1,57	1,57	1,46	0,92	0,69	0,78							
kg - box	32,573	25,07	25,07	24,955	24,955	15,597	17,27	17,27	17,52	11,04	10,35	7,8							
													Note	*Production upon request					

Great Royal Stone

Large slabs



Collection: Great Royal Stone | Colors: Great Platinum White, Great Palladium Grey



Collection: Great Royal Stone | Colors: Great Black Diamond, Great Palladium Grey



Great Royal Stone | Summary



Collection: Great Royal Stone | Color: Great Palladium Grey



Inspiration | [click here](#)

Visit the collection webpage
in other languages.


Colors



Great Black
Diamond



Great Palladium
Grey



Great Platinum
White

Technical features

Natural Plus | R10 A \approx 6 mm

- 300×150
- 270×120
- 150×150
- 150×75
- 120×120
- 75×75
- 75×37,5

Specials

- Bullnose



40% Raw material from recycling process
products assessed and found to comply
with the LEED and BREEAM regulations.



Loft

Full Body

Collection: Loft | Color: Loft Sand



Collection: Loft | Colors: Loft Smoke, Loft Dark



Loft | Summary

Full Body collection



Collection: Loft | Color: Loft Snow

Colors



Loft Dark



Loft Smoke



Loft Sand



Loft Snow

Technical features

Natural Plus | R10 A+B \approx 6 mm

- 100×100

Natural Plus | R10 A+B \approx 8 mm

- 120×60
- 60×60
- 60×30

Antislip | R11 A+B+C \approx 20 mm

- 120×60
- 100×100
- 60×60

Specials

- Mosaic
- Bullnose
- Step

Full Body To the core of natural stone.

Thanks to a special porcelain stoneware manufacturing process, Full Body presents a chromatic homogeneity from the surface to the core. The result is a product with tangible depth and a more natural appearance, enhancing its material realism.




40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Silk Stone



Collection: Silk Stone | Color: White Satin



Collection: Silk Stone | Colors: Velvet Brown, Black Chiffon



Silk Stone | Summary



Collection: Silk Stone | Color: Light Ornament – Decor

Colors



Black Chiffon



Velvet Brown



Shantung Greige



Vanilla Lace



White Satin



Light Ornament Decor



Dark Ornament Decor

Technical features

Natural Plus | R10 A+B \approx 6 mm

- 120×60 + Decor
- 120×30 + Decor
- 100×100
- 60×60 + Decor
- 60×30

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



Inspiration | [click here](#)

Visit the collection webpage in other languages.




Great Elite

Large slabs

Collection: Great Elite | Color: Elite Calacatta



Collection: Great Elite | Colors: Elite Marquina, Elite Alpi



Great Elite | Summary



Collection: Great Elite | Color: Elite Calacatta



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Elite Alpi



Elite Calacatta



Elite Marquina

Technical features

Polished ± 6 mm


- 270 x 120
- 120 x 120



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.

Great One

Large slabs



Collection: Great One | Color: One White



Collection: Great One | Color: One White



Great One | Summary



Collection: Great One | Color: One White

Color



One White

Technical features

Natural | R9 \approx 6 mm

- 300×150
- 300×100
- 150×150
- 150×100
- 100×100

Polished \approx 6 mm

- 300×150
- 300×100
- 150×150
- 150×100
- 100×100



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Color Studio



Collection: Color Studio | Colors: Cream, Biscuit, Malt, Brown



Collection: Color Studio | Specials pieces configuration



Color Studio | Summary



Collection: Color Studio | Color: Powder – Mosaic



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Night



Sage



Powder



White*



Brown



Biscuit



Malt



Cream

Technical features

Natural | R9 A ±6 mm

- 120×60
- 120×30*
- 100×100
- 60×60
- 60×30

Specials

- Bullnose
- Step



20×20
Square



20×20×28
Triangle



46×23
Trapezoid




23×23
Rhombus



28×20
Parallelogram



30×30
Listel Mosaic



30×30
Brick Mosaic



30×30
Mosaic



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.


Radical



Collection: Radical | Color: Shabby Brown



Collection: Radical | Colors: Shabby White, Shabby Brown



Radical | Summary



Collection: Radical | Colors: Shabby Grey, Shabby Black

Colors



Shabby
Black



Shabby
Brown



Shabby
Grey



Shabby
White

Technical features

Natural | R9 \geq 6 mm

- 120×60
- 100×100
- 60×60
- 60×30

Specials

- Mosaic
- Bullnose
- Step



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Pure Wood



Collection: Pure Wood | Color: Pure Hazel



Collection: Pure Wood | Colors: Pure Brown, Pure Black



Pure Wood | Summary



Collection: Pure Wood | Color: Pure White



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Pure Black



Pure Brown



Pure Hazel



Pure Amber



Pure Grey



Pure White

Technical features

Natural Plus | R10 A+B ± 6 mm

- 120×20

Specials

- Bullnose



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



Collection: In Wood | Color: Maple



Collection: In Wood | Color: Canaletto – Modul Shade



In Wood | Summary



Collection: In Wood | Color: Maple



Inspiration | [click here](#)

Visit the collection webpage in other languages.

Colors



Acacia



Canaletto*



Maple*



Mulberry

Technical features

Natural Plus | R10 A+B \geq 8 mm

- 120×30
- 120×20
- 120×15

Antislip | R11 A+B \geq 20 mm*

- 120×60
- 120×30

Specials

- Modul Shade
- Modul Oblique
- Bullnose



40% Raw material from recycling process products assessed and found to comply with the LEED and BREEAM regulations.



Outdoor solutions.

Designed for outdoor spaces.

Our wide range of 20 mm formats are engineered to guarantee durability, anti-slip performance, and design continuity with indoor collections, allowing for seamless indoor-outdoor transitions.

Applications.

Steps	220
Pool surroundings	222
Flowerbeds	224
Planters	226
Wall covers	228

Solutions.

Special formats	230
-----------------	-----


Insights.

Outdoor installations	262
-----------------------	-----

Collections.

Search by: $\nless 20$ mm	280
---------------------------	-----


Steps.




Collection: Urban | Color: Urban Cream

Types

Module



Module L



Technical features

Formats:

A 120, 100, 60 cm
B 30 cm

Customization:

- In all outdoor collections.
- With or without grooves on the surface.
- Edge finishes:



Rounded



90° Rounded



Squared

Formats:


A 120, 100, 60 cm
B 30 cm
H 15 - 17 cm

Customization:

- In all outdoor collections.
- With or without grooves on the surface.

Additional types and formats on request.


Pool surroundings.




Collection: Urban | Color: Urban Cream

Types


Corner (2 pieces)




Corner (1 piece: left or right)



Module



Module L



Technical features

Formats:

A 120, 100, 60 cm
B 30 cm
C 45°

Formats:

A 120 cm
B 60 cm
C 30 cm

Formats:

D 120, 100, 60 cm
E 30 cm

Customization:

- In all outdoor collections.
- With or without drain channel below the surface.
- Edge finishes:



Rounded



90° Rounded



Squared

Formats:


A 120, 100, 60 cm
B 30 cm
H 6 cm

Customization:

- In all outdoor collections.

Additional types and formats on request.


Flowerbeds.




Collection: Urban | Color: Urban Cream

Types

Corner (1 piece)



Corner (1 piece) + Module



Technical features

Formats:

A 120, 100, 60 cm
B 15 cm

Formats:

A 120, 100, 60 cm
B 15 cm
C 120, 100, 60 cm

Customization:

- In all outdoor collections.
- Edge finishes:



Rounded



90° Rounded



Squared

Additional types and formats on request.


Planters.



Collection: Urban | Color: Urban Cream

Types


Planter 30



Formats:

A 30 cm
B 30 cm
H 120 cm


Planter 35



Formats:

A 55 cm
B 35,6 cm
H 114,5 cm


Planter 60



Formats:

A 60 cm
B 60 cm
H 60 cm


Planter 120




Formats:

A 60 cm
B 120 cm
H 60 cm


Bottom options:



With bottom



Without bottom



With bottom plus holes

Customization:

- In all outdoor collections.
- With bottom, without bottom or with bottom plus holes.

Note:

In case of strong root growth, it is important to take additional precautions to prevent damage to plants and surrounding planters.

Additional types and formats on request.


Wall covers.




Collection: Urban | Color: Urban Cream

Types

Module



Module U



Technical features

Formats:

A 120, 100, 60 cm
B 20 - 60 cm

Customization:

- In all outdoor collections.
- With or without drain channels below the surface.
- Edge finishes:



Rounded



90° Rounded



Squared

Formats:

A 120, 100, 60 cm
B 20 - 50 cm
H 5 cm

Customization:

- In all outdoor collections.




Notes:




- Long sides (A) are polished
- The wall cover must be wider than the wall to be covered.

Additional types and formats on request.

Outdoor solutions

Special formats

Format (cm)	Type	Edge finish	
Module			
	30 x 120 ½2 cm	Module	Rounded 
	30 x 120 ½2 cm	Module	90° Rounded 
	30 x 120 ½2 cm	Module	Squared 
	30 x 100 ½2 cm	Module	Rounded 
	30 x 100 ½2 cm	Module	90° Rounded 
	30 x 100 ½2 cm	Module	Squared 
	30 x 60 ½2 cm	Module	Rounded 
	30 x 60 ½2 cm	Module	90° Rounded 
	30 x 60 ½2 cm	Module	Squared 
Corner			
	120 x 120 ½2 cm	Corner (1 piece)	Rounded 
	120 x 120 ½2 cm	Corner (1 piece)	90° Rounded 
	120 x 120 ½2 cm	Corner (1 piece)	Squared 
	100 x 100 ½2 cm	Corner (1 piece)	Rounded 
	100 x 100 ½2 cm	Corner (1 piece)	90° Rounded 
	100 x 100 ½2 cm	Corner (1 piece)	Squared 
	60 x 60 ½2 cm	Corner (1 piece)	Rounded 
	60 x 60 ½2 cm	Corner (1 piece)	90° Rounded 
	60 x 60 ½2 cm	Corner (1 piece)	Squared 
	60 x 120 ½2 cm	Corner (1 piece: left or right)	Rounded 
	60 x 120 ½2 cm	Corner (1 piece: left or right)	90° Rounded 
	60 x 120 ½2 cm	Corner (1 piece: left or right)	Squared 
	30 x 120 ½2 cm	Corner (2 pieces)	Rounded 
	30 x 120 ½2 cm	Corner (2 pieces)	90° Rounded 
	30 x 120 ½2 cm	Corner (2 pieces)	Squared 
	30 x 100 ½2 cm	Corner (2 pieces)	Rounded 
	30 x 100 ½2 cm	Corner (2 pieces)	90° Rounded 
	30 x 100 ½2 cm	Corner (2 pieces)	Squared 
	30 x 60 ½2 cm	Corner (2 pieces)	Rounded 
	30 x 60 ½2 cm	Corner (2 pieces)	90° Rounded 
	30 x 60 ½2 cm	Corner (2 pieces)	Squared 

Format (cm)	Type	Edge finish		
Module L				
	30 x 120 ½2 cm	Module L (6 cm)	-	
	30 x 100 ½2 cm	Module L (6 cm)	-	
	30 x 60 ½2 cm	Module L (6 cm)	-	
	30 x 120 ½2 cm	Module L (15 - 17 cm)	-	
	30 x 100 ½2 cm	Module L (15 - 17 cm)	-	
	30 x 60 ½2 cm	Module L (15 - 17 cm)	-	
Corner L				
	30 x 120 ½2 cm	Corner L (6 cm 2 pieces)	-	
	30 x 100 ½2 cm	Corner L (6 cm 2 pieces)	-	
	30 x 60 ½2 cm	Corner L (6 cm 2 pieces)	-	
	30 x 120 ½2 cm	Corner L (15 - 17 cm 2 pieces)	-	
	30 x 100 ½2 cm	Corner L (15 - 17 cm 2 pieces)	-	
	30 x 60 ½2 cm	Corner L (15 - 17 cm 2 pieces)	-	

Notes:
• Additional types and formats on request.

Collections Overview

Find your product according to your needs and destination of use.

Effects	Collections	Colors	Finishings	± 6 mm	± 8 mm	± 20 mm	Large slabs	Full Body	Page
Concrete	Cosmo		Antislip Natural Plus	•	•	•			42
	Urban [Updated]		Antislip Natural Plus, Structured	•	•	•			52
	Urban Great		Natural Plus	•			•		64
	Soft Concrete		Antislip Natural Plus	•	•				72
	Stardust		Natural Plus	•	•			•	82
Stone	Eternal Stone [New]		Antislip Natural Plus	•	•	•			30
	Estro		Antislip Natural Plus	•	•	•		•	90
	Solid Stone		Antislip Natural Plus	•	•	•			100
	Dune [Updated]		Antislip Natural Plus, Structured	•	•	•			110
	Native Stone		Antislip Natural Plus	•	•	•			120
	Royal Stone [Updated]		Antislip Natural Plus	•	•	•			130
	Great Royal Stone		Natural Plus	•			•		142
	Loft		Antislip Natural Plus	•	•	•		•	150
	Silk Stone		Natural Plus	•					160
Marble	Great Elite		Polished	•			•		168
	Great One		Natural Polished	•			•		176
Color	Color Studio		Natural	•					184
Metal	Radical		Natural	•					194
Wood	Pure Wood		Natural Plus	•					202
	In Wood		Antislip Natural Plus		•	•			210

4

Insights.

**Our Expertise, Proven Excellence.
Where Innovation Succeeds.**

Full Body	236
Edge finishes	238
Certifications	240
Technical product features	242
Packaging details Large slabs	250
Outdoor installation	262



Full Body

To the core of natural stone.

Full Body slabs are produced under high pressure of temperatures up to 1,300 °C.

These ceramic surfaces are particularly suitable for areas with visible edges and corners. Whether for steps, skirting boards, furniture, kitchen worktops, edging or pool edges – the design flows seamlessly along the edges.

This creates the impression of a continuous slab with consistent material thickness and an iridescent surface.

Concrete

Stardust	82
----------	----

Stone

Estro	90
-------	----

Loft	150
------	-----

Edge finishes

Design without compromise.

The range from Porcelaingres not only offer a wide range of formats, colors, effects and finishes, but also the option of customizing edges and setting design accents.

Whether a functional garden path, an inviting patio or a safe pool area – different edge finishes allow details to be fine-tuned to meet design and functional requirements.

This creates precise transitions, accentuated finishes and safe walkable areas that nicely round off the overall appearance and emphasize the character of the design at the highest level.



90° Rounded



Rounded



Squared



Certifications

Sensitivity towards ethycal, environmental, safety and quality concerns

Product Certifications:



LEED certification: is a global system used in 40+ countries to check if buildings are environmentally friendly. The LEED (Leadership in Energy and Environmental Design) It evaluates how well a building is sustainable in terms of the environment, society, and economy. The slabs in this tool have over 40% recycled material, following the ISO 14021 standard, ensuring the highest LEED points.

BREEAM certification is a widely used global standard that measures how buildings impact the environment. It has strictw rules and checks based on the latest technology and knowledge. The rating system demands certifications based on strict technical parameters and quality control.

You can find the updated list of certified collections at www.porcelaingres.com/downloads/.



UPEC classification associated with the QB certification mark attests to the compliance of floor and wall coverings with the technical requirements set out in certification reference documents. It assigns classifications of use indicating that the durability of a product is appropriate for use on specific types of premises.

The list of the certified products is available at <http://evaluation.cstb.fr/>



CE MARK - It indicates that Porcelaingres products comply with the requirements of 305/2011 UE directive – in particular with regard to health production and the users and consumers' safety – and may thus be freely circulated on the Community market. **For the declarations of conformity of each single product, please refer to: www.porcelaingres.com/downloads/.**



放射性水平A类
See official listing

The **China Compulsory Certificate** mark, commonly known as a **CCC Mark**, is a compulsory safety mark for our Great Format products imported, sold or used in the Chinese market.

The certification is available at www.porcelaingres.com/downloads/.



EPD (Environmental Product Declaration): a voluntary type III product declaration, based on analysis of the product life cycle (with a "from cradle to grave" approach) in accordance with the EN 15804 standard. This declaration is drawn up with reference to the guidelines of the UNI EN ISO 14040 standard and the specific PCR (Product Category Rules). This document describes the environmental impact linked to the entire life cycle of a specific quantity of product. Our Company was the first to certify its products (see www.environdec.com) with specific EPD, validated by an independent third-party Body.

The certification is available at www.porcelaingres.com/downloads/.



GREENGUARD certification ensures indoor products have minimal emissions of volatile substances for healthier environments. GREENGUARD Gold Certification considers safety for sensitive individuals and approves products for use in places like schools and healthcare facilities. Widely recognized globally in sustainable building programs, it is referenced by The Collaborative for High Performance Schools (CHPS) and Leadership in Energy and Environmental Design (LEED) in the United States.

Certified collections can be found at <https://spot.ul.com/>.

Integrated Management System Certifications:



ISO 9001 certification: for corporate Quality system management. The certification, valid at an international level, concerns corporate management in its entirety, from research and development to production, and from distribution to customer support. This system certifies that the Company has implemented an internal quality management system.

The certification is available at www.porcelaingres.com/downloads/.



ISO 50001 certification: for organizations committed to addressing their impact, conserving resources and improving the bottom line through efficient energy management. The standard specifies the requirements for establishing, implementing, maintaining and improving an energy management system, whose purpose is to enable an organization to follow a systematic approach in achieving continual improvement of energy performance, including energy efficiency, energy security, energy use and consumption.

The certification is available at www.porcelaingres.com/downloads/.

Environmental Information and Labels:



Declare label: a badge for construction materials, essentially functioning as a voluntary self-disclosure program. This initiative furnishes details about the material's composition, final assembly locations, lifespan, end-of-life options, and overall adherence to pertinent Living Building Challenge® (LBC) requirements.

Accessible through a complimentary database, Declare® labels prove to be an essential tool for designers and architects, empowering them to specify products aligning with the criteria of key green building standards, including Core Green Building certifications, LBC, LEED, and WELL.

All our materials hold the classification of being "Red List Free," affirming their absence of chemicals listed in the Living Building Challenge's "Red List."

More info available at <https://declare.living-future.org/products/ceramic-slabs>.



ISO 14067 certification: is an international standard that outlines the principles and guidelines for measuring and communicating the carbon footprint of products. This certification focuses on assessing and managing the carbon emissions associated with all stages of a product's life cycle, from raw material extraction through production, distribution, use, and disposal.

The certification is available at www.porcelaingres.com/downloads/.



The **Cradle to Cradle** certification recognizes sustainable products, focusing on material health, recyclability, renewable energy, water use, and social fairness. It promotes a circular economy by encouraging reusable or upcycled products, reducing waste and environmental impact. **Available exclusively for our Great Collections (Large format).**

The certification is available at <https://c2ccertified.org/certified-products/porcelain-stoneware-slabs>.



Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).

Technical product features

Declared values of production

Features	Norms	▲ Required standard	Urban pag. 52	Soft Concrete pag. 72	Stardust pag. 82	Urban Great pag. 64	Royal Stone pag. 130
 water absorption	ISO 10545-3	≤ 0,5%	< 0,05%	< 0,05%	≤ 0,05%	< 0,05%	< 0,05%
 sizes	ISO 10545-2	length and width ± 0,6% max thickness ± 5,0% max linearity ± 0,5% max wedging ± 0,6% max warpage ± 0,5% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max
 bending strength	ISO 10545-4	≥ 35 N/mm ²	> 48N/mm ² For 20mm slabs: > 42N/mm ²	> 48N/mm ² For 20mm slabs: > 42N/mm ²	≥ 48N/mm ²	> 48N/mm ²	> 48N/mm ² For 20mm slabs: > 42N/mm ²
 resistance to deep abrasion	ISO 10545-6	≤ 175 N/mm ³	≤ 140 mm ³	≤ 140 mm ³	≤ 140 mm ³	≤ 140 mm ³	≤ 140 mm ³
 thermal expansion coefficient	ISO 10545-8	testing method available	7 MK ⁻¹				
 thermal shock resistance	ISO 10545-9	testing method available	resistant	resistant	resistant	resistant	resistant
 frost resistance	ISO 10545-12	no sample must show alterations to surface	frost resistance				
 chemical resistance	ISO 10545-13	no sample must show visible signs of chemical attack (acids-bases-additives for pools) except for products containing hydrofluoric acid and derivatives.	unaffected	unaffected	unaffected	unaffected	unaffected
 stain resistance	ISO 10545-14	unglazed tiles: testing method available	class 5				
 colour resistance to light	DIN 51094	no sample must show noticeable colour change	no change in brightness or colour				

Technical product features

Declared values of production

Features	Norms	▲ Required standard	Loft pag. 150	Color Studio pag. 184	Silk Stone pag. 160	Great Royal Stone pag. 142	Eternal Stone pag. 30
 water absorption	ISO 10545-3	≤ 0,5%	≤ 0,05%	< 0,05%	≤ 0,05%	< 0,05%	< 0,05%
 sizes	ISO 10545-2	length and width ± 0,6% max thickness ± 5,0% max linearity ± 0,5% max wedging ± 0,6% max warpage ± 0,5% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max
 bending strength	ISO 10545-4	≥ 35 N/mm ²	≥ 48N/mm ² For 20mm slabs: > 42N/mm ²	> 48N/mm ²	> 48N/mm ²	> 48N/mm ²	> 48N/mm ² For 20mm slabs: > 42N/mm ²
 resistance to deep abrasion	ISO 10545-6	≤ 175 N/mm ³	≤ 140 mm ³	140 mm ³	≤ 140 mm ³	140 mm ³	≤ 140 mm ³
 thermal expansion coefficient	ISO 10545-8	testing method available	7 MK ⁻¹				
 thermal shock resistance	ISO 10545-9	testing method available	resistant	resistant	resistant	resistant	resistant
 frost resistance	ISO 10545-12	no sample must show alterations to surface	frost resistance				
 chemical resistance	ISO 10545-13	no sample must show visible signs of chemical attack (acids-bases-additives for pools) except for products containing hydrofluoric acid and derivates.	unaffected	unaffected	unaffected	unaffected	unaffected
 stain resistance	ISO 10545-14	unglazed tiles: testing method available	class 5				
 colour resistance to light	DIN 51094	no sample must show noticeable colour change	no change in brightness or colour				

Technical product features


Declared values of production

Features	Norms	▲ Required standard	Great Elite pag. 168	Great One pag. 176	Cosmo pag. 42	Solid Stone pag. 100	Radical pag. 194
 water absorption	ISO 10545-3	≤ 0,5%	< 0,05%	< 0,05%	< 0,05%	< 0,05%	< 0,05%
 sizes	ISO 10545-2	length and width ± 0,6% max thickness ± 5,0% max linearity ± 0,5% max wedging ± 0,6% max warpage ± 0,5% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max
 bending strength	ISO 10545-4	≥ 35 N/mm ²	> 42N/mm ²	> 42N/mm ²	> 48N/mm ² For 20mm slabs: > 42N/mm ²	> 48N/mm ² For 20mm slabs: > 42N/mm ²	> 48N/mm ²
 resistance to deep abrasion	ISO 10545-6	≤ 175 N/mm ³	140 mm ³	140 mm ³	≤ 140 mm ³	≤ 140 mm ³	140 mm ³
 thermal expansion coefficient	ISO 10545-8	testing method available	7 MK ⁻¹				
 thermal shock resistance	ISO 10545-9	testing method available	resistant	resistant	resistant	resistant	resistant
 frost resistance	ISO 10545-12	no sample must show alterations to surface	frost resistance				
 chemical resistance	ISO 10545-13	no sample must show visible signs of chemical attack (acids-bases-additives for pools) except for products containing hydrofluoric acid and derivates.	unaffected	unaffected	unaffected	unaffected	unaffected
 stain resistance	ISO 10545-14	unglazed tiles: testing method available	class 5 class 4 (bright slabs)	class 5	class 5	class 5	class 5
 colour resistance to light	DIN 51094	no sample must show noticeable colour change	no change in brightness or colour				

Technical product features

Declared values of production

Features	Norms	▲ Required standard	Dune pag. 110	Pure Wood pag. 202	In Wood pag. 210	Native Stone pag. 120	Estro pag. 90
 water absorption	ISO 10545-3	≤ 0,5%	< 0,05%	< 0,05%	< 0,05%	< 0,05%	< 0,05%
 sizes	ISO 10545-2	length and width ± 0,6% max thickness ± 5,0% max linearity ± 0,5% max wedging ± 0,6% max warpage ± 0,5% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max	± 0,2% max ± 5,0% max ± 0,2% max ± 0,2% max ± 0,2% max
 bending strength	ISO 10545-4	≥ 35 N/mm ²	> 48N/mm ² For 20mm slabs: > 42N/mm ²	> 48N/mm ²	> 48N/mm ²	> 48N/mm ² For 20mm slabs: > 42N/mm ²	> 48N/mm ² For 20mm slabs: > 42N/mm ²
 resistance to deep abrasion	ISO 10545-6	≤ 175 N/mm ³	≤ 140 mm ³	140 mm ³	140 mm ³	≤ 140 mm ³	≤ 140 mm ³
 thermal expansion coefficient	ISO 10545-8	testing method available	7 MK ⁻¹				
 thermal shock resistance	ISO 10545-9	testing method available	resistant	resistant	resistant	resistant	resistant
 frost resistance	ISO 10545-12	no sample must show alterations to surface	frost resistance				
 chemical resistance	ISO 10545-13	no sample must show visible signs of chemical attack (acids-bases-additives for pools) except for products containing hydrofluoric acid and derivates.	unaffected	unaffected	unaffected	unaffected	unaffected
 stain resistance	ISO 10545-14	unglazed tiles: testing method available	class 5				
 colour resistance to light	DIN 51094	no sample must show noticeable colour change	no change in brightness or colour				



Packaging details.

Efficient, safe and project-ready packaging solutions.

We provide a range of packaging options specifically designed for large-format slabs.

From single crates to full containers, each solution ensures maximum protection, handling efficiency and space optimization during transport and delivery.

Crate with pudding layers	252
Rack	254
Tall Crate	256
Short Crate	258
Container	260

Packaging details

Great Collections | Large slabs

- Urban Great at page 64
- Great Royal Stone at page 142
- Great Elite at page 168
- Great One at page 176

Crate with pudding layers Package informations	Format Slab in cm	Slabs Max. capacity	Boxes Max. capacity	Sqm Max. capacity	Kg Max. capacity	Price € - Euro	Note Important recommendations
 <p>Size: 322 × 163 × h.34 cm Weight: 117 kg Code: MAX-IMB11L</p>	300 × 150	12	-	54,00	876,80	-	<ul style="list-style-type: none"> - minimum order: 2 slabs per crate; - no more than 6 items (colors) per crate allowed; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 6 crates on lorry; - max. 24 crates on lorry (4 spaces) within total weight limits; - option of placing 2 euro-pallets next to each stack
 <p>Size: 325 × 113 × h.37 cm Weight: 104 kg Code: MAX-IMB01L</p>	300 × 100	16	-	48,00	779,40	-	<ul style="list-style-type: none"> - minimum order: 3 slabs per crate; - no more than 6 items (colors) per crate allowed; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 5 crates on lorry; - max. 32 crates on lorry (8 spaces) within total weight limits; - option of placing crates next to each other
 <p>Size: 290 × 132 × h.37 cm Weight: 100 kg Code: MAX-IMB01L</p>	270 × 120	16	-	51,84	740,00	-	<ul style="list-style-type: none"> - minimum order: 3 slabs per crate; - no more than 6 items (colors) per crate allowed; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 5 crates on lorry; - max. 32 crates on lorry (8 spaces) within total weight limits; - option of placing crates next to each other
 <p>Size: 172 × 163 × h.41 cm Weight: 68 kg Code: MAX-IMB02L</p>	150 × 150	24	-	54,00	827,80	-	<ul style="list-style-type: none"> - minimum order: 4 slabs per crate; - each crate must contain an even number of slabs per item; - no more than 6 items (colors) per crate allowed; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 5 crates on lorry; - max. 28 crates on lorry (7 spaces) within total weight limits; - option of placing 1 euro-pallet next to each stack

Packaging details

Great Collections | Large slabs

- Urban Great at page 64
- Great Royal Stone at page 142
- Great Elite at page 168
- Great One at page 176

Rack Package informations	Format Slab in cm	Slabs Max. capacity	Boxes Max. capacity	Sqm Max. capacity	Kg Max. capacity	Price € - Euro	Note Important recommendations
 <p>Size: 312 × 74 × h.191 cm Weight: 227 kg Code: MAX-IMB04C</p>	300 × 150	50	-	225,00	3392,80	-	<ul style="list-style-type: none"> - one rack may contain up 5 different items (colors); - the rack must be filled to the maximum capacity specified; - in order to optimise space, this rack may be filled with 48 slabs (instead of 2 racks with 24 slabs each)
<p>Size: 312 × 70 × h.191 cm Weight: 194 kg Code: MAX-IMB03C</p>	300 × 150	24	-	108,00	1713,60	-	<ul style="list-style-type: none"> - one rack may contain up 5 different items (colors); - the rack must be filled to the maximum capacity specified
 <p>Size: 312 × 74 × h.140 cm Weight: 180 kg Code: MAX-IMB04C</p>	300 × 100	50	-	150,00	2290,50	-	<ul style="list-style-type: none"> - one rack may contain up 5 different items (colors); - the rack must be filled to the maximum capacity specified; - in order to optimise space, this rack may be filled with 48 slabs (instead of 2 racks with 24 slabs each)
<p>Size: 312 × 70 × h.140 cm Weight: 158 kg Code: MAX-IMB07C</p>	300 × 100	32	-	96,00	1508,50	-	<ul style="list-style-type: none"> - one rack may contain up 5 different items (colors); - the rack must be filled to the maximum capacity specified
<p>Size: 312 × 74 × h.191 cm Weight: 227 kg Code: MAX-IMB08C</p>	270 × 120	50	-	162,00	2506,34	-	<ul style="list-style-type: none"> - one rack may contain up 5 different items (colors); - the rack must be filled to the maximum capacity specified; - in order to optimise space, this rack may be filled with 48 slabs (instead of 2 racks with 24 slabs each)
 <p>Size: 161 × 74 × h.191 cm Weight: 85 kg Code: MAX-IMB05C</p>	150 × 150	48	-	108,00	1604,60	-	<ul style="list-style-type: none"> - one rack may contain up 5 different items (colors); - the rack must be filled to the maximum capacity specified

Packaging details

Great Collections | Large slabs

- Urban Great at page 64
- Great Royal Stone at page 142
- Great Elite at page 168
- Great One at page 176

Tall Crate Package informations	Format Slab in cm	Slabs Max. capacity	Boxes Max. capacity	Sqm Max. capacity	Kg Max. capacity	Price € - Euro	Note Important recommendations
 <p>Size: 171 × 112 × h.65 cm Weight: 72 kg Code: MAX.IMBCG</p>	150 × 100	40	40	60,00	916,20	-	<ul style="list-style-type: none"> - minimum order: 2 boxes (= 2 slabs); - each crate must contain an even number of slabs/boxes; - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits
 <p>Size: 172 × 89 × h.65 cm Weight: 59 kg Code: MAX-IMBCG</p>	150 × 75	52	26	58,50	882,10	-	<ul style="list-style-type: none"> - minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits
<p>Size: 172 × 89 × h.65 cm Weight: 59 kg Code: MAX-IMBCG</p>	75 × 37,5	264	44	74,25	1103,70	-	<ul style="list-style-type: none"> - minimum order: 1 box (= 6 slabs); - one tall crate may contain up 3 different items (colors); for the same size while the short crate only 2 different items; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits
<p>Size: 141 × 132 × h.65 cm Weight: 70 kg Code: MAX-IMBCG12</p>	120 × 120	52	26	74,88	1060,00	-	<ul style="list-style-type: none"> - minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 3 tall crates on lorry; - max. 44 tall crates on lorry (22 spaces) within total weight limits
 <p>Size: 121 × 112 × h.65 cm Weight: 55 kg Code: MAX-IMBCG</p>	100 × 100	52	26	52,00	786,70	-	<ul style="list-style-type: none"> - minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 3 tall crates on lorry; - max. 44 tall crates on lorry (22 spaces) within total weight limits
<p>Size: 172 × 89 × h.65 cm Weight: 59 kg Code: MAX-IMBCG</p>	75 × 75	114	38	64,13	961,31	-	<ul style="list-style-type: none"> - minimum order: 1 box (= 3 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits

Packaging details

Great Collections | Large slabs

- Urban Great at page 64
- Great Royal Stone at page 142
- Great Elite at page 168
- Great One at page 176

Short Crate Package informations	Format Slab in cm	Slabs Max. capacity	Boxes Max. capacity	Sqm Max. capacity	Kg Max. capacity	Price € - Euro	Note Important recommendations
 <p>Size: 171 × 112 × h.40 cm Weight: 54 kg Code: MAX-IMBCP</p>	150 × 100	18	18	27,00	433,90	-	<ul style="list-style-type: none"> - minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits
 <p>Size: 172 × 89 × h.41 cm Weight: 47 kg Code: MAX-IMBCP</p>	150 × 75	24	12	27,00	426,90	-	<ul style="list-style-type: none"> - minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits
<p>Size: 172 × 89 × h.41 cm Weight: 47 kg Code: MAX-IMBCP</p>	75 × 37,5	120	20	33,75	521,90	-	<ul style="list-style-type: none"> - minimum order: 1 box (= 6 slabs); - one tall crate may contain up 3 different items (colors); for the same size while the short crate only 2 different items; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits
<p>Size: 141 × 132 × h.41 cm Weight: 60 kg Code: MAX-IMBCP12</p>	120 × 120	24	12	34,56	486,50	-	<ul style="list-style-type: none"> - minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 3 tall crates on lorry; - max. 44 tall crates on lorry (22 spaces) within total weight limits
 <p>Size: 121 × 112 × h.41 cm Weight: 44 kg Code: MAX-IMBCP</p>	100 × 100	24	12	24,00	381,70	-	<ul style="list-style-type: none"> - minimum order: 1 box (= 2 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 3 tall crates on lorry; - max. 44 tall crates on lorry (22 spaces) within total weight limits
<p>Size: 172 × 89 × h.41 cm Weight: 47 kg Code: MAX-IMBCP</p>	75 × 75	54	18	30,38	474,50	-	<ul style="list-style-type: none"> - minimum order: 1 box (= 3 slabs); - one tall crate may contain up 3 different items (colors) for the same size while the short crate only 2 different items; <p>Loading on lorry:</p> <ul style="list-style-type: none"> - stack max. 3 tall crates on lorry; - max. 30 tall crates on lorry (15 spaces) within total weight limits

Packaging details

Great Collections | Large slabs

- Urban Great at page 64
- Great Royal Stone at page 142
- Great Elite at page 168
- Great One at page 176

Container Package informations	Tailor-made packaging Max. capacity	Note Important recommendations
<p>20 FOOT CONTAINER</p> <p>Size: 5,90 × 2,32 × h. 2,35 meters</p> 	<ul style="list-style-type: none"> • 6 crates 300×150; • 10 crates 300×100 + 5 crates 150×150; • 10 crates 300×100 + 10 tall crates 150×100; • 10 crates 300×100 + 6 tall crates 75×37,5\75×75\150×75; • 10 crates 300×100 + 12 tall crates 100×100; • 15 crates 150×150 + 3 tall crates 75×37,5\75×75\150×75; • 12 tall crates 120×120 (within weight limits); • 27 tall crates 100×100 (within weight limits); • 18 tall crates 75×37,5\75×75\150×75; • 18 tall crates 150×100. 	
<p>40 FOOT CONTAINER</p> <p>Size: 11,90 × 2,33 × h. 2,35 meters*</p> 	<ul style="list-style-type: none"> • 18 crates 300×150; • 30 crates 300×100 + 5 crates 150×150; • 30 crates 300×100 + 6 tall crates 75×37,5\75×75\150×75; • 30 crates 300×100 + 6 tall crates 100×100; • 30 crates 300×100 + 10 tall crates 150×100; • 24 tall crates 120×120 (within weight limits); • 35 tall crates 150×150 (within weight limits). 	<p>*concerning the 120×120, 100×100 or 75×37,5\75×75\150×75 formats, calculation must take weight into account (the space is never completely filled as weight would be exceeded)</p>

Outdoor installation

HOTEL
SIGNATURE

Loose installation
on paving supports,
spacing rings, and
mortar sacks.

Unbonded installation
on sand, gravel,
and grass.

Bonded
installation
on screed.

HOTEL
SIGNATURE

Bonded
installation on
drainage mortar.



Collection: Solid Stone | Color: Solid Stone Grey

Weather, usage, stress – outdoor flooring has much to withstand.

That’s why there are a number of solutions and installation methods that can be customized to meet specific requirements.

Individual planning is crucial: your architect, skilled tradesman or specialist wholesaler will provide you with the expert advice you need.

Our experienced technical team is also on hand with specialist knowledge and guidance.

Installations.

Sand, gravel, and grass	266
Paving supports, spacing rings, and mortar sacks	268
Screed	270
Drainage mortar	272



Collection: Native Stone | Color: Dusky Greige



[click here](#)

Technical Installation details.

Unbonded installation on sand, gravel, and grass.

With unbonded installation on sand, gravel or grass, slabs are laid without mortar or adhesive..

The slabs are laid loosely on a course of hardcore, gravel or sand.

A stable, well-compacted base layer of crushed stone ensures optimum sub-base preparation. This is followed by the bedding layer of chippings, gravel or sand on which the ceramic slabs are laid and lightly tapped in to create an even surface. The gaps can be filled with grit or sand to allow natural drainage.

This type of installation offers great flexibility for adjustments or repairs and is particularly suitable for patios, footpaths and other outdoor areas.



Collection: Native Stone | Color: Dusky Greige



[click here](#)

Technical Installation details.

Loose installation on paving supports, spacing rings, and mortar sacks.

Loose installation on paving supports, spacing rings, and mortar sacks creates a stable and level surface – even on uneven surfaces and without adhesive.

Adjustable plastic feet or alternative systems are used for height adjustment. Elevated track systems can also be used for additional stability and flexible installation. The water drains directly into the sub-base via the covering joints.

An easily accessible cavity is created under the porcelain stoneware surface, ideal for laying installations and pipes.

This construction method is increasingly being used on roof terraces, in new buildings and for renovations.



Collection: Native Stone | Color: Dusky Greige



[click here](#)

Technical Installation details.

Bonded installation on screed.

With bonded screed installation the ceramic slabs are firmly attached to the sub-base.

Thorough waterproofing measures are required before bonding. Surface water runs off exclusively via the slope.

This construction method offers high stability with a low installation height and is often used on balconies and when renovating existing terraces.

Complex preparation and skilled workmanship make this type of installation particularly challenging.



Collection: Native Stone | Color: Dusky Greige



[click here](#)

Technical Installation details.

Bonded installation on drainage mortar.

With bonded installation on drainage mortar, porcelain stoneware surfaces are firmly adhered to the sub-base, ensuring long-term stability and durability.

The permeable sub-base effectively allows water to drain away, preventing frost damage and allowing the resulting surface to resist static and dynamic loads.

First of all, the sub-base is prepared with a stable layer of hardcore. The slabs are then laid on drainage mortar with a suitable adhesive.

The joints are firmly sealed, with sloping allowing the surface water to run off naturally.

5

Finder.

Find your product according to your needs and destination of use.

Search by: \pm 6 mm	276
Search by: \pm 8 mm	278
Search by: \pm 20 mm	280
Search by: Special formats	282
Search by: Skid Resistance "R"	286
Search by: Shades & Effects	288

Search by: ≥ 6 mm formats

Find your product according to your needs and destination of use.

	Formats (cm)	300 × 150	300 × 100	270 × 120	150 × 150	150 × 100	150 × 75		120 × 120	120 × 60	120 × 30	120 × 20	100 × 100	75 × 75	75 × 37,5	60 × 60	60 × 30
	Formats (inch)	120" × 60"	120" × 40"	108" × 48"	60" × 60"	60" × 40"	60" × 30"		48" × 48"	48" × 24"	48" × 12"	48" × 8"	40" × 40"	30" × 30"	30" × 15"	24" × 24"	24" × 12"
Concrete																	
pag. 42	Cosmo												●				
pag. 52	Urban [Updated]						●						●	●			
pag. 64	*Urban Great		●	●		●											
pag. 72	Soft Concrete												●				
pag. 82	Stardust Full Body												●				
Stone																	
pag. 30	Eternal Stone [New]						●						●	●			
pag. 90	Estro Full Body						●						●	●			
pag. 100	Solid Stone												●				
pag. 110	Dune [Updated]						●						●	●			
pag. 120	Native Stone						●						●	●			
pag. 130	Royal Stone [Updated]						●						●	●			
pag. 142	*Great Royal Stone	●		●	●		●		●					●	●		
pag. 150	Loft Full Body												●				
pag. 160	Silk Stone									●	●		●			●	●
Marble																	
pag. 168	*Great Elite			●					●								
pag. 176	*Great One	●	●		●	●							●				
Color																	
pag. 184	Color Studio									●	●		●			●	●
Metal																	
pag. 194	Radical									●			●			●	●
Wood																	
pag. 202	Pure Wood											●					

* All articles of the Great collections are produced on order at our Castellarano facility (Italy).
Other formats are manufactured at our Vetschau facility (Germany).

Search by: ∇ 8 mm formats

Find your product according to your needs and destination of use.

Formats (cm)		120 × 120	120 × 60	120 × 30	120 × 20	120 × 15	60 × 60		60 × 30	60 × 10						
Formats (inch)		48" × 48"	48" × 24"	48" × 12"	48" × 8"	48" × 6"	24" × 24"		24" × 12"	24" × 4"						
Concrete																
pag. 42	Cosmo		●				●		●							
pag. 52	Urban [Updated]	●	●				●		●	●						
pag. 72	Soft Concrete		●				●		●							
pag. 82	Stardust Full Body		●				●		●							
Stone																
pag. 30	Eternal Stone [New]	●	●				●		●							
pag. 90	Estro Full Body		●				●		●							
pag. 100	Solid Stone		●				●		●							
pag. 110	Dune [Updated]	●	●				●		●							
pag. 120	Native Stone		●				●		●	●						
pag. 130	Royal Stone [Updated]	●	●				●		●	●						
pag. 150	Loft Full Body		●				●		●							
Wood																
pag. 210	In Wood			●	●	●										

All formats are manufactured at our Vetschau facility (Germany).

Search by: ∇ 20 mm formats

Find your product according to your needs and destination of use.

Formats (cm)		120 × 120	120 × 60	120 × 30	100 × 100	60 × 60										
Formats (inch)		48" × 48"	48" × 24"	48" × 12"	40" × 40"	24" × 24"										
Concrete																
pag. 42	Cosmo		●		●	●										
pag. 52	Urban [Updated]	●	●		●	●										
Stone																
pag. 30	Eternal Stone [New]	●	●		●	●										
pag. 90	Estro Full Body		●		●	●										
pag. 100	Solid Stone		●		●	●										
pag. 110	Dune [Updated]	●	●		●	●										
pag. 120	Native Stone		●		●	●										
pag. 130	Royal Stone [Updated]	●	●		●	●										
pag. 150	Loft Full Body		●		●	●										
Wood																
pag. 210	In Wood		●	●												

All formats are manufactured at our Vetschau facility (Germany).

Search by: Special formats



Find your product according to your needs and destination of use – **Part 1 of 2**

		 Bullnose					 Step with grooves										
Formats (cm)		120 × 7	120 × 7	100 × 6,5	75 × 6,5	60 × 7	60 × 7				150 × 37,5	120 × 30	120 × 30	100 × 30	75 × 37,5	60 × 30	60 × 30
Thickness (mm)		±6 mm	±8 mm	±6 mm	±6 mm	±6 mm	±8 mm				±6 mm	±6 mm	±8 mm	±6 mm	±6 mm	±6 mm	±8 mm
Concrete																	
pag. 42	Cosmo			●			●					●	●				●
pag. 52	Urban [Updated]		●	●	●		●			●		●	●	●			●
pag. 72	Soft Concrete			●			●						●				●
pag. 82	Stardust Full Body			●			●					●	●				●
Stone																	
pag. 30	Eternal Stone [New]		●	●	●		●			●		●	●	●			●
pag. 90	Estro Full Body			●	●		●			●		●	●	●			●
pag. 100	Solid Stone			●			●					●	●				●
pag. 110	Dune [Updated]		●	●	●		●			●		●	●	●			●
pag. 120	Native Stone			●	●		●			●		●	●	●			●
pag. 130	Royal Stone [Updated]		●	●	●		●			●		●	●	●			●
pag. 142	*Great Royal Stone				●												
pag. 150	Loft Full Body			●			●					●	●				●
pag. 160	Silk Stone			●		●					●	●	●			●	
Color																	
pag. 184	Color Studio			●		●					●		●			●	
Metal																	
pag. 194	Radical			●		●					●		●				
Wood																	
pag. 202	Pure Wood	●															
pag. 210	In Wood						●										

* All articles of the Great collections are produced on order at our Castellarano facility (Italy).
Other formats are manufactured at our Vetschau facility (Germany).

Search by: Special formats

Find your product according to your needs and destination of use – **Part 2 of 2**

																
	Mosaic 31 × 31		Mosaic 4,7 × 4,7		Mosaic 7,2 × 7,2	Brick Mosaic	Listel Mosaic		Triangle	Parallelogram	Square	Rhombus	Trapezoid	Modul Shade	Modul Oblique	Fishbone
Formats (cm)	30 × 30	30 × 30	30 × 30	30 × 30	30 × 30	30 × 30	30 × 30		20 × 20	28 × 20	20 × 20	23 × 23	23 × 46	120 × 30	60 × 15	60 × 10
Thickness (mm)	±6 mm	±8 mm	±6 mm	±8 mm	±6 mm	±6 mm	±6 mm		±6 mm	±8 mm	±8 mm	±8 mm				
Concrete																
pag. 42	Cosmo			●												
pag. 52	Urban [Updated]		●	●												●
pag. 72	Soft Concrete		●	●												
pag. 82	Stardust Full Body			●												
Stone																
pag. 30	Eternal Stone [New]			●												
pag. 90	Estro Full Body			●												
pag. 100	Solid Stone			●												
pag. 110	Dune [Updated]			●												
pag. 120	Native Stone		●	●												●
pag. 130	Royal Stone [Updated]		●	●												●
pag. 150	Loft Full Body		●	●												
pag. 160	Silk Stone			●												
Color																
pag. 184	Color Studio		●	●		●	●		●	●	●	●	●			
Metal																
pag. 194	Radical				●											
Wood																
pag. 210	In Wood													●	●	

All formats are manufactured at our Vetschau facility (Germany).

Search by: Skid Resistances

Find your product according to your needs and destination of use.


DIN EN 16165 - Annex B

Slabs suitability for laying in areas where people walk footwear.
Defining the "R-value" of the surfaces according to the table below.

DIN EN 16165 - Annex A

Surfaces suitability for laying in areas where people walk barefoot.
Given an "A, B and C value" according to the table below.

Slab thicknesses (mm)	R9 Annex B ▶ $6^\circ \leq \alpha \leq 10^\circ = R9$			R9 A Annex B ▶ $6^\circ \leq \alpha \leq 10^\circ = R9$ Annex A ▶ $12^\circ \leq \alpha < 18^\circ = A$			R9 A+B Annex B ▶ $6^\circ \leq \alpha \leq 10^\circ = R9$ Annex A ▶ $18^\circ \leq \alpha < 24^\circ = A+B$			R10 A Annex B ▶ $10^\circ < \alpha \leq 19^\circ = R10$ Annex A ▶ $12^\circ \leq \alpha < 18^\circ = A$			R10 A+B Annex B ▶ $10^\circ < \alpha \leq 19^\circ = R10$ Annex A ▶ $18^\circ \leq \alpha < 24^\circ = A+B$			R11 A+B Annex B ▶ $19^\circ < \alpha \leq 27^\circ = R11$ Annex A ▶ $18^\circ \leq \alpha < 24^\circ = A+B$			R11 A+B+C Annex B ▶ $19^\circ < \alpha \leq 27^\circ = R11$ Annex A ▶ $\alpha \geq 24^\circ = A+B+C$			
	≥ 6 mm	≥ 8 mm	≥ 20 mm	≥ 6 mm	≥ 8 mm	≥ 20 mm	≥ 6 mm	≥ 8 mm	≥ 20 mm	≥ 6 mm	≥ 8 mm	≥ 20 mm	≥ 6 mm	≥ 8 mm	≥ 20 mm	≥ 6 mm	≥ 8 mm	≥ 20 mm	≥ 6 mm	≥ 8 mm	≥ 20 mm	
Concrete																						
pag. 42 Cosmo													●	●								●
pag. 52 Urban [Updated]												●		●					●	●	●	
pag. 64 Urban Great												●										
pag. 72 Soft Concrete													●	●								
pag. 82 Stardust Full Body													●	●								
Stone																						
pag. 30 Eternal Stone [New]													●	●							●	●
pag. 90 Estro Full Body													●	●								●
pag. 100 Solid Stone													●	●								●
pag. 110 Dune [Updated]													●	●							●	●
pag. 120 Native Stone													●	●							●	●
pag. 130 Royal Stone [Updated]													●	●					●	●	●	
pag. 142 Great Royal Stone												●										
pag. 150 Loft Full Body													●	●								●
pag. 160 Silk Stone													●									
Marble																						
pag. 168 Great Elite	●																					
pag. 176 Great One	●																					
Color																						
pag. 184 Color Studio				●			●															
Metal																						
pag. 194 Radical	●																					
Wood																						
pag. 202 Pure Wood													●									
pag. 210 In Wood													●					●				



Search by: Shades & Effects

An intuitive guide through surfaces and colors.

Explore our full range of ceramic surfaces, grouped by visual effect and organized from the lightest to the darkest shades.

A chromatic journey, designed to make your material choices simple, fast, and visually clear.


Surface effects overview:

Stone	290
Concrete	292
Color	294
Wood	295
Marble	296
Metal	297

Search by: Shades & Effects

Find your product according to your needs and destination of use – **Part 1 of 4**

Stone

											
Lime Dune pag. 110	Cloudy White Native Stone pag. 120	Estro Cream Estro Full Body pag. 90	White Satin Silk Stone pag. 160	Platinum White Royal Stone pag. 130	Great Platinum White Great Royal Stone pag. 142	Great Palladium Grey Great Royal Stone pag. 142	Loft Sand Loft Full Body pag. 150	Shadow Dune pag. 110	Loft Smoke Loft Full Body pag. 150	Solid Stone Grey Solid Stone pag. 100	Solid Stone Brown Solid Stone pag. 100
											
Loft Snow Loft Full Body pag. 150	Pearl Dune pag. 110	Crema Marfil [New] Eternal Stone pag. 30	Noble Beige Royal Stone pag. 130	Vanilla Lace Silk Stone pag. 160	Travertino [New] Eternal Stone pag. 30	Authentic Brown Native Stone pag. 120	Imperial Brown Royal Stone pag. 130	Velvet Brown Silk Stone pag. 160	Estro Brown Estro Full Body pag. 90	Solid Stone Anthracite Solid Stone pag. 100	Estro Anthracite Estro Full Body pag. 90
											
Solid Stone Beige Solid Stone pag. 100	Estro Beige Estro Full Body pag. 90	Alver Beige Native Stone pag. 120	Taupe Dune pag. 110	Dusky Greige Native Stone pag. 120	Amber Dune pag. 110	Mineral Black Native Stone pag. 120	Loft Dark Loft Full Body pag. 150	Black Chiffon Silk Stone pag. 160	Black Diamond Royal Stone pag. 130	Great Black Diamond Great Royal Stone pag. 142	
											
Nebula Dune pag. 110	Seashell Dune pag. 110	Shantung Greige Silk Stone pag. 160	Mystic Grey Native Stone pag. 120	Estro Grey Estro Full Body pag. 90	Palladium Grey Royal Stone pag. 130						

Search by: Shades & Effects

Find your product according to your needs and destination of use – **Part 2 of 4**

Concrete



Soft White
Soft Concrete
pag. 72



Urban White
Urban
pag. 52



Urban Great White
Urban Great
pag. 64



Moonlight
Stardust | Full Body
pag. 82



Soft Beige
Soft Concrete
pag. 72



Urban Cream
Urban
pag. 52



Urban Great Cream
Urban Great
pag. 64



Cosmo Beige
Cosmo
pag. 42



Urban Beige
Urban
pag. 52



Urban Ivory
Urban
pag. 52



Urban Great Ivory
Urban Great
pag. 64



Clay
Stardust | Full Body
pag. 82



Urban Sand
Urban
pag. 52



Urban Great Sand
Urban Great
pag. 64



Terra
Stardust | Full Body
pag. 82



Soft Silver
Soft Concrete
pag. 72



Ash
Stardust | Full Body
pag. 82



Cosmo Grey
Cosmo
pag. 42



Urban Grey
Urban
pag. 52



Urban Great Grey
Urban Great
pag. 64



Soft Iron
Soft Concrete
pag. 72



Urban Dove
Urban
pag. 52



Urban Great Dove
Urban Great
pag. 64



Lava
Stardust | Full Body
pag. 82



Cosmo Anthracite
Cosmo
pag. 42



Aquamarine
Stardust | Full Body
pag. 82



Ocean
Stardust | Full Body
pag. 82



Soft Brown
Soft Concrete
pag. 72



Cosmo Brown
Cosmo
pag. 42



Urban Mud
Urban
pag. 52



Urban Great Mud
Urban Great
pag. 64



Ground
Stardust | Full Body
pag. 82



Urban Brown
Urban
pag. 52



Urban Anthracite
Urban
pag. 52



Urban Great Anthracite
Urban Great
pag. 64




Search by: Shades & Effects

Find your product according to your needs and destination of use – **Part 3 of 4**

Color



White
Color Studio
pag. 184



Cream
Color Studio
pag. 184



Powder
Color Studio
pag. 184



Sage
Color Studio
pag. 184



Biscuit
Color Studio
pag. 184



Malt
Color Studio
pag. 184



Brown
Color Studio
pag. 184



Night
Color Studio
pag. 184



Wood



Pure White
Pure Wood
pag. 202



Maple
In Wood
pag. 210



Pure Grey
Pure Wood
pag. 202



Acacia
In Wood
pag. 210



Pure Amber
Pure Wood
pag. 202



Pure Hazel
Pure Wood
pag. 202



Mulberry
In Wood
pag. 210



Canaletto
In Wood
pag. 210



Pure Brown
Pure Wood
pag. 202




Pure Black
Pure Wood
pag. 202



Search by: Shades & Effects

Find your product according to your needs and destination of use – **Part 4 of 4**

Marble



One White
Great One
pag. 176



Elite Calacatta
Great Elite
pag. 168



Elite Alpi
Great Elite
pag. 168



Elite Marquina
Great Elite
pag. 168



Metal



Shabby White
Radical
pag. 194



Shabby Grey
Radical
pag. 194



Shabby Brown
Radical
pag. 194



Shabby Black
Radical
pag. 194





Porcelaingres GmbH
Irisstraße 1
03226 Vetschau – Germany
Tel. +49 (0)35433 / 597-0

GranitiFiandre spa
Via Radici Nord, 112
42014 Castellarano (RE) – Italy
Tel. +39 0536 819611

Castellarano Showroom
Via Guido Reni 2
42014 Castellarano (RE) – Italy
www.porcelaingres.com
info@porcelaingres.com

Vetschau Showroom
Irisstraße 1
03226 Vetschau – Germany
www.porcelaingres.com
info@porcelaingres.com

A BRAND OF  IRIS
CERAMICA
GROUP

Smart Book 2026 • Edition: September 2025

Colors and decors reproductions are approximate. All rights are reserved.
Total or partial reproduction of text or illustrations of this catalogue is
prohibited and is subject to legal sanctions. Data were updated at the
catalogue printing time; therefore, the listed data may alter.

Smart Book - © 2026 Porcelaingres GmbH - All rights reserved.

Search “PORCELAINGRES”
on your app store
www.porcelaingres.com/pdfapp

